


USE RE	EGULATIONS	i					
						MUC	ID: Policy plan plot Cadastral plot Mixed Use Commercial
	Al Loulou					MUR	Mixed Use Residential
			G+10	G+5 17350012	Bc		Build to line Setback for main building
Ali F	G+M+8 Existing 17350007 G+M+10 17350009		Existing 17350004	G+5 17350002	Bahr Al A		Setback for main building upper floors Active frontage
Ali Bin Amur Al Attiya Street		G+- 173500		G+10 17350013	Arab	▲	Pedestrian access Main vehicular entrance Pedestrian connection
/a Street	,	Malik F	Bin Anas				Existing building Arcade
						Main Building Podium there is discrepancy,use Policy Plan plot	
		1	1 1		١	(not cac	lastral plot)

	Zoning Category	Commercial	Mixed Use Commercial	Mixed Use Residential	Residential
Zoning Code		СОМ	MUC	MUR	RES
Minimum required number of use type*		1	2	2	1
Commercial: Retail, Office		$\overline{\mathbf{V}}$	√ **	✓	×
Use Type per	Residential (Flats, Apartments)	*	✓	*	$\overline{\checkmark}$
Zoning Category Hospitality (Hotels, Serviced Apartments)		√ *	✓	✓	✓
	Secondary/Complementary Uses (Community Facilities, Sport & Entertainment)	✓	✓	✓	✓
See details of	Permitted Uses Table in page 4				

DETAILED USE SPLIT						
		GFA				
MUC: Mixed Use Commercial	Uses Mix	Plot ≤ 1200 sqm or for Single Tower	Plot ≥ 1201 sqm or for Multiple Towers/ Buildings	Allowed Floor Location		
Commercial**:		Total Com. 15% min	Total Com. 15% min	All		
Retail Office	 ✓*	Retail 25% max	Retail 25% max	Retail at ground level, podium & podium level, top floor level		
Residential (Flats, Apartments)	✓		80% max	All		
Hospitality (Hotels, Serviced Apartments)	✓	85% max	40% max	All Semi-public /publicly accessible facilities (e.g. commercial space) at ground level, podium & podium level, top floor level		
Secondary/ Complementary Uses	✓	20% max		Podium / Top level		
MUR: Mixed Use Residential						
Commercial**: Commercial-Retail, Commercial-Office	✓	2.50 % max	5 % max	Ground level, podium & podium level, top floor level		
Residential (Flats, Apartments)	√ *		40% min	All		
Hospitality (Hotels, Serviced Apartments)	(Hotels, Serviced Apartments)		40% max	All Semi-public /publicly accessible facilities (e.g. commercial space) at ground level, podium & podium level, top floor level		
Secondary/ Complementary Uses	✓	20% max		Podium / Top level		


Uses mix: ☑ Required; ✓ Allowed; ★ Not allowed; ★ Allow to be substituted with Hospitality Use Type; ** Mixing between Commercial Uses only (retail & office) is allowed

SPECIFIC USE REGULATIONS	SPECIFIC USE REGULATIONS					
Permitted uses	See Permitted Uses Table (page 4)					
Recommended Uses	Type of commercial in MUC: Establishments and offices with goods or services that cater city-wide (ie. main offices) and complementary to the cultural facilities in the Downtown area Type of commercial in MUR: Domestic or Local Commercial- Retail (ie.convenient store, hair-dresser, salon, tailor, specialty shop, laundry, bakery, cafe etc)					
Not permitted uses	All other uses not listed in the General Permitted Uses Table (e.g. garage/car repair/heavy industry etc)					
Active Frontage Uses	Percentage: For marked-sides as Active Frontages, min. 60% frontage required as Active Uses					
	Retail, Shops, Food and Beverage (F&B), Offices, Services, Hotels, Government Offices, Clinics, Community Centres, Libraries, etc					



BUILDING ENVELOPE & MASSING ILLUSTRATION All Bin Anas Street All Bin Anas Street All Bin Anas Street

BUILDING TYPOLOGY: ATTACHED-PODIUM AND TOWER



Ali Bin Amur Al Attiya Street (Collector Street)

Al Loulou & & Malik Bin Anas & Bahr Al Arab Street (Local Streets)

BLOCK FORM REGULATIONS

Uses (as per Zoning Plan)	MUC: Mixed Use Commercial				
Oses (as per Zonnig i lan)					
	MUR: Mixed Use Residential				
Height (max) (for plots < 600 sqm, refer to the Block Massing Plan)	Ali Bin Amur Al Attiya 43.2 m (ma: Street:				
נוופ שוטטג ויינומן די Illu illu illu illu illu illu illu illu	• G+M+10 (Podium G+M+2)				
	Al Loulou & Malik Bin Anas & Bahr Al Arab Street	41.7 m (max)			
	• G+10 (Podium G+1)				
FAR (max) (for plots < 600 sqm, refer to the Block Massing Plan)	6.60 (along Ali Bin Amur Al Attiya Street)	(+ 5 % for corner lots)			
Note for PIN 17350009: FAR 6.61 as stated in Block Massing Plan	6.10 (along Al Loulou & Malik Bin Anas & Bahr Al Arab Street)				
Building Coverage (max)	75%				
MAIN BUILDINGS					
Typology	Attached-Podium and Tower				
Building Placement	Setbacks as per block plan:				
	Ali Bin Amur Al Attiya Street: Podium: 0 m front; 0 m on sides, up to 2/3 plot depth (max.15 m) & 3 m for the remaining 1/3 plot depth; 3 m rear Tower: 0 m front setback; 3 m sides; 3m rear				
	Al Loulou & Malik Bin Anas & Bahr Al Arab Street: Podium0 m front; 0 m on sides, up to 2/3 plot depth (max.15 m) & 3 m for the remaining 1/3 plot depth; 3 m rear Tower: 3 m front setback; 3 m sides; 3m rear				
Build to Line (a set building line on a plot, measured parallel from the front and/or corner side plot line, where the structure must be located. The building facade must be located on the build-to line)	Ali Bin Amur Al Attiya Str street): 100% of 0m front so (mandatory) Al Loulou & Malik Bin Ana Arab Street (Local streets frontage indicated at block p	etback as & Bahr Al): min. 60% of			
Building Depth (max)	10 m (single-aspect tower) 15 m (double-aspect tower) 30 m (tower with atrium) 30 m (podium with integrated p depth minimum 45 m)	arking, for plot			
Building Size	Fine grain; 30 m maximum building width or length				
Primary Active Frontage	As indicated in the plan				
Frontage Profile	Ali Bin Amur Al Attiya Street. Arcades (covered walkways): 2.5 m minimum width G+M maximum height Located as per drawing	:			

	Al Loulou & Malik Bin Anas & Bahr Al Arab Street: Fore-court; cantilever/overhang on the ground floor
Basement; Half-Basement (undercroft)	Allowed 0 m setbacks 0.5 m maximum height from street level (undercroft)
ANCILLARY BUILDINGS	
Height (max)	G
Setbacks	Sides: 0 m, up to 2/3 plot depth (max.15 m) & 3 m for the remaining 1/3 plot depth; Rear: 3 m
Building Depth (max)	7.5 m
SITE PLANNING	
Plot Size for Subdivision	Minimum 600 sqm
Small Plot	 Minimum plot size of 600 sqm will allow to reach G+10, with provision of 1 undercroft and 2 basements for car parking. For plot sizes < 600 sqm: <p>Allowed to be developed up to the maximum parameters set in the plan, subject to possibility of providing required parking on site </p>
Open Space (min)	5%
ACCESSIBILITY AND CO	NNECTIVITY
Pedestrian Entry Point	As indicated in the plan
Vehicle Access Point	As indicated in the plan
Recommended Public Access on Private Plot	n/a
PARKING	
Location	On-site surface parking/ undercroft/ basement/ podium parking/ Multi-Storey Car Park (MSCP) for plot size > 2000 sqm
Required Number of Spaces	As per general MSDP Car Parking Regulations
Parking Waiver	30% reduction in parking provision requirement; Relaxation for plots ≤ 350 sqm, provided all safety measures are fulfilled as per Qatar Parking Design Manual-QPDM (refer to page 4 for details): 1) Allowable stall parking dimension of 2.5m x 5.5 m 2) Allowable single driveway (not ramp) provision of 3.5m width to the rear onsite parking

- All new development should follow the regulations.
- For existing buildings: the setbacks and heights are indicative; for retrofitting /alteration/ modification changes should not exceed the existing massing
- For existing buildings which are still new and/or in good condition, it is recommended only to add the required front-part of the building (eg. light structure podium) as per indicated set back and build-to-line (which is zero setback) in the plan


LANDSCAPE & ACTIVATE CHAMFER-SIDE AT THE INTERSECTION





Provision of green terrace roof garden (min. 50% of the area)







Qatari Contemporary*













WINDOW-TO-WALL RATIOS











East & West: 30%-40%

STANDARDS


ARCHITECTURAL STANDARD					
Architectural Theme/ Style	Qatari Contemporary Style (* Refer the details to the Townscape & Architectural Guidelines for Main Streets in Qatar)				
Exterior expression	Clear building expression of a base, a middle and a top				
	The Base Part (podium): should clearly be expressed (eg. with architrave or cornice ornament, should there is no required setback for tower that can distinguish it from the podium)				
	The Middle Part: Should adopt local rooted architectural language for its elements such as openings, shutters, balconies, bays etc. Should reveal the external expression of each storey				
	The Top Part should be marked by parapet or entablature				
Minimum Building separation	6 m between two buildings with facing non-habitable rooms 8 m between two buildings with a facing non-habitable room and a facing habitable room 12 m between two buildings with facing habitable rooms				
Party-Wall / Common Wall	The attached building's parts should have its own wall and foundation and comply to the standard of construction and fire-safety				
Floor height (maximum)	Slab to slab height (mid-point): Ground floor: 5 m Ground floor with mezzanine: 6.5 m Typical floors (residential and other): 3.50 m Ground floor ancillary building: 3.50m				
Building Orientation	All the fasade's elements (windows, doors, balcony, bay window, etc) should respect the streets based on their hierarchy. Primary fasade should orientate to the highway /expressway/ collector/ arterial streets.				
Active frontage features	Entrances, <i>madkhal</i> , lobbies, window openings, arcades, porches etc				
Active chamfer at the intersection	The chamfer side should be activated by providing main access for people and designing active frontage/fasade or small landscaped area with public				


	facilities such as benches, public art, small lawn area, etc			
Building Material	Avoid excessive use of glass-wall Use the low environmental impact materials, that conform to ISO 14025, 14040, 14044, and EN 15804 or ISO 21930			
Window-to-Wall Ratios	Refer to the diagrams			
LANDSCAPE STANDARD				
Forecourt	For buildings along the secondary streets, the forecourts should have small green space for landscape			
Barrier/fences	Street side: not allowed Sides and rear: transparent where possible; maximum height 2.5m			
Green Roof	50% area of the podium and the roof- top should be landscaped with dominant soft-scape (trees, plants, urban farming etc)			
ACCESSIBILITY STANDAR	RD			
Pedestrian access	 Main building entrances should be oriented to the side indicated on the plan. Pedestrian Access on the plan indicates the side for main pedestrian access, not the approximate location 			
Vehicle egress and ingress	 Main Vehicular Access on the plan indicates the side and approximate location of the access, subject to site planning and transportation constraints. 			
SIGNAGE				
Style	Signage should be an integral part of the building fasade without background.			
Cornice to mark	PROPERTY 1 PROPERTY 2 PROPERTY 2			
podium				

PARTY WALL/ COMMON WALL

PARKING FORM & LOCATION OPTION








Parking at rear on small plots ≤ 350 sqm (illustration)

Conditional Requirements for Relaxation on Plots ≤ 350 sqm:

- (a) The Owner/Developer to conduct a Parking Safety Audit as per QPDM and implement safety measures as suggested by the Safety Auditor;
- (b) Provide exclusive signage and pavement marking cautioning the motorists and facility users (as per QPDM);
- (c) Guidance on parking operations, accessible parking, pedestrian sidewalk to be adopted as per QPDM.
- (d) The parking facility to be managed by trained security personnel/traffic marshal, where possible;
- (e) Preferable use mechanical, automated, robotic parking systems, where possible;
- (f) Use of Intelligent Transportation System technologies such as Variable Message Signage, etc, where possible.



INCENTIVE

Incentive Scheme

Provision of **Privately Owned Public Space – POPS** such *sikka*, pedestrian walkway, public plaza, pocket garden, and Community Facility: Additional floor area of 5 m2 for every 1 m2 provision, up to maximum 10% of total GFA

Provision of Shared Public Parking:

Additional floor area of 50 m2 for provision of each one (1) shared-car parking space, up to maximum 10% of total GFA

PERMITTED USES TABLE

Convenience		Type and category	COM	MUC	MUR	RES	Code	Use
Comparison/Speciality		Type and category	00111	11100	MOIL			
Comparison/Speciality		Convenience		1	1			
Food and Beverage								
Food and Beverage		Companson/Speciality						
Food and Beverage								
Shopping Malls	=							
Shopping Malls	¥	Food and Payarage						
Shopping Malls	쮼	Food and Beverage				· ·		
Shopping Mails								
Services/Offices	-	Shopping Malls						
Services/Offices	-							
Residential	ш	Services/Offices				-		
Residential	ᇋ	Services/Offices						
Residential	F							
								FTOIESSIONAL SELVICES
Hospitality accommodation		Pacidontial		-/				Posidential Flats / Apartments
Hospitality accommodation		Residential		· ·				
Educational					T	HOSE		
Figure Second S		Hospitality accommodation		✓				
February February			✓	✓				
Health				SI	ECOND	ARY / (COMPLE	MENTARY
Health		Educational	×	✓	✓	✓	1003	Private Kindergarten / Nurseries / Child Care Centers
Name			✓	✓	✓	×		
Health			×	✓	✓	×		
V			×	✓	✓	×	1022	Girls Qur'anic School
V	10	Health	✓	✓	✓	×		
Cultural	监		✓	✓	✓	×		
Cultural	片		✓	✓	×	×	1104	Private Hospital/Polyclinic
Cultural	\overline{c}		✓	✓	✓	✓	1105	Ambulance Station
Cultural	F/		✓	✓	×	×	1106	Medical Laboratory / Diagnostic Center
Cultural	\succeq	Governmental	×	✓	×	×	1201	Ministry / Government Agency / Authority
Cultural	S		×	✓	×	×	1202	Municipality
Cultural	\equiv		✓	✓	✓	×	1203	Post Office
Cultural	Ö		✓	✓	✓	✓	1209	Library
V		Cultural	✓	✓	✓	×	1301	Community Center / Services
V			✓	✓	✓	×		
New York New York			✓	✓	×	×	1303	Convention / Exhibition Center
Open Space & Recreation				✓	✓	✓	1304	Art / Cultural Centers
V			✓	✓	✓	×	1406	Islamic / Dawa Center
V V V IOTO SWITHING FOOL	Π	Open Space & Recreation	✓	✓	✓	✓		
V V V IOTO SWITHING FOOL	E		✓	✓	×	×	1504	Theatre / Cinema
V V V IOTO SWITHING FOOL	Z		✓	✓	✓	✓		
V V V IOTO SWITHING FOOL	M		✓	✓	✓	✓		Green ways / Corridors
V V V 1013 Swiffining Foot	ER	Sports	×	✓	✓	×	1607	Tennis / Squash Complex
V V V 1013 Swiffining Foot	Ĕ		×	✓	✓	✓	1609	Basketball / Handball / Volleyball Courts
V V V 1013 Swiffining Foot			×	✓	✓	✓		Small Football Fields
V V V IOTO SWITHING FOOL	¥		×	✓	✓		1610	Jogging / Cycling Track
V V V IOTO SWITHING FOOL	SA		√		√	√		
V V V 1013 Swiffining Foot	RT		×	√	√	×	1612	
V V V 1013 Swiffining Foot	PO		<u>√</u>	√	√	√		Private Fitness Sports (Indoor)
Special Use × × 2107 Immigration / Passport Office	S		√	√	√	√		
	R.	Special Use	_ <	✓	×	×		
置 ✓ ✓ × 2108 Customs Office	뿓		✓	✓	×	×		
Tourism ✓ ✓ × × 2203 Museum	0	Tourism	✓	✓	×	×	2203	Museum

- Supporting uses serves only to the primary use should not be regarded as a separate use. Therefore, their floor area calculation should be included in the GFA of the primary use (e.g. gym facility for residents in an apartment building should be calculated in the Residential GFA, or facilities of a hotel for guests should be calculated in Hospitality GFA).
- Unlisted uses in the table are categorised as non-permitted uses, especially the hazardous/ polluted uses (e.g car repair shops, industries, polluted-workshops, etc).
- Similar uses to the permitted uses in the table will be regarded as conditional cases.