

ZONING PLAN



USE REGULATIONS




GENERAL	USE MIX				
Zoning Category Zoning Code		Commercial	Commercial Mixed Use Commercial Residential COM MUC MUR		Residential
		СОМ			RES
Minimum re	equired number of use type*	1	2	2	1
	Commercial Retail, Office	*	V	✓	*
Use Type per	Residential Flats, Apartments	*	✓	*	$\overline{\mathbf{V}}$
Zoning Category	Hospitality Hotels, Serviced Apartments	√ *	✓	√ *	✓
	Complementary (See Permitted Uses Table)	✓	✓	✓	✓
	Examples	Mall, souq etc.	Commercial with mixed use, strips	Residential with retail/office, hotels	Residential blocks, towers, houses

Uses mix: ☑ Required; ✓ Allowed; ➤ Not allowed; * Allow to be substituted with Hospitality Use Type


USE SPLIT				
MUC: Mixed Use Commercial	Use	Allowed Floor Location	GFA split	
Commercial (retail/office)	✓ *	All	51 % min	
Residential	✓	Tower level	49% max	
Hospitality	✓	All	-	
Complementary (community facilities, sport, etc)	✓	Podium level	20% max	
MUR: Mixed Use Residential				
Commercial (retail/office)	✓ *	Ground floor level	2.50 % max	
Residential	✓	All	77.5 % min	
Hospitality	✓	All	-	
Complementary (community facilities, sport, etc)	✓	All	20 % max	

Uses mix: ☑ Required; ✓ Allowed; ➤ Not allowed; * Allow to be substituted with Hospitality Use Type


oses mix: Markequired; Allowed; Allowed			
SPECIFIC USE REGULATIONS			
Permitted uses	See Permitted Uses Table (page 4)		
Recommended Uses	Type of commercial in MUC: Establishments and offices with goods or services that cater citywide (ie. main offices) and complementary to the cultural facilities in the Downtown area Type of commercial in MUR: Domestic or Local Commercial- Retail (ie.convenient store, hairdresser, salon, tailor, specialty shop, laundry, bakery, cafe etc)		
Not permitted uses	All other uses not listed in the General Permitted Uses Table (e.g. garage/car repair/heavy industry etc)		
Active Frontage Uses	Percentage: For marked-sides as Active Frontages, min. 60% frontage required as Active Uses		
	Retail, Shops, Food and Beverage (F&B), Offices, Services, Hotels, Government Offices, Clinics, Community Centres, Libraries, etc		



BUILDING ENVELOPE & MASSING ILLUSTRATION



BUILDING TYPOLOGY: ATTACHED-PODIUM AND TOWER




BLOCK FORM REGULATIONS

BULK REGULATIONS				
Uses (as per Zoning	MUC: Mixed Use Commer	rcial		
Plan)	MUR: Mixed Use Residential			
Height (max)	Sheraouh Street 43.2 m			
Togue (max)	• G+M+10 (Podium G+M+2)	(max)		
	Malik Bin Anas & Al Maarif & Al Beshadiriya Street			
	• G+10 (Podium G+1)			
FAR (max)	6.60 (along Sheraouh (+ 5 % for corner lots)			
	6.10 (along Malik Bin Anas & Al Maarif & Al Beshadiriya Street)			
Building Coverage (max)	75%			
MAIN BUILDINGS				
Typology	Attached-Podium and Tower			
Building Placement	Setbacks as per block plan:			
	Sheraouh Street: Podium: 0 m front; 0 m on sides, up to max. 2/3 plot depth (max.15 m) & 3 m for the remaining 1/3 plot depth; 3 m rear Tower: 0 m front setback; 3 m sides; 3m rear			
	Malik Bin Anas & Al Maarif & Al Beshadiriya Street: Podium: 0 m front; 0 m on sides, up to max. 2/3 plot depth (max.15 m) & 3 m for the remaining 1/3 plot depth; 3 m rear Tower: 3 m front setback; 3m sides; 3m rear			
Build to Line (a set building line on a plot, measured parallel from the front and/or corner side plot line, where the structure must be located. The building facade must be located on the build-to line)	Sheraouh Str (Collector street): 100% of 0m front setback (mandatory) Al Maarif Street: min.90% of indicated frontage at the block plan Malik Bin Anas & Al Beshadiriya Street (Local streets): min. 80% of frontage indicated at block plan			
Building Depth (max)	10 m (single-aspect tower) 15 m (double-aspect tower) 30 m (tower with atrium) 30 m (podium with integrated parking, for plot depth minimum 45 m)			
Building Size	Fine grain; 30 m maximum building width or length			
Primary Active Frontage	As indicated in the plan			
Frontage Profile	Sheraouh Street.: Arcades (covered walkways): 2.5 m minimum width			

	G+M maximum heightLocated as per drawing		
	Al Maarif Street: Colonnades (a row of colums with minimum 1 meter distance to fasade for terrace, etc) Malik Bin Anas & Al Beshadiriya St. Fore-court; cantilever/overhang on the ground floor		
Basement; Half- Basement (undercroft)	Allowed 0 m setbacks 0.5 m maximum height from street level (undercroft)		
ANCILLARY BUILDINGS			
Height (max)	G		
Setbacks	Sides: 0 m, up to max. 2/3 plot depth (max.15 m) & 3 m for the remaining 1/3 plot depth; Rear: 3 m		
Building Depth (max)	7.5 m		
SITE PLANNING			
Plot Size for Subdivision	Minimum 600 sqm		
Small Plot	Minimum plot size of 600 sqm will allow to reach G+10, with provision of 1 undercroft and 2 basements for car parking. For plot sizes < 600 sqm: Allowed to be developed up to the maximum parameters set in the plan, subject to possibility of providing required parking on site		
Open Space (min)	5%		
ACCESSIBILITY AND CO	ONNECTIVITY		
Pedestrian Entry Point	As indicated in the plan		
Vehicle Access Point	As indicated in the plan		
Recommended Public Access on Private Plot	n/a		
PARKING			
Location	On-site surface parking/ undercroft/ basement/ podium parking/ Multi-Storey Car Park (MSCP) for plot size > 2000 sqm		
Required Number of Spaces	As per general MSDP Car Parking Regulations		
Parking Waiver	30% reduction in parking provision requirement		

- All new development should follow the regulations.
- For existing buildings: the setbacks and heights are indicative; for retrofitting /alteration/ modification changes should not exceed the existing massing.
- For existing buildings which are still new and/or in good condition, it is recommended only to add the required front-part of the building (eg. light structure podium) as per indicated set back and build-to-line (which is zero setback) in the plan

BUILDING TYPOLOGY



Malik Bin Anas & Al Beshadiriya Street (Local Streets)

LANDSCAPE & ACTIVATE CHAMFER SIDE AT THE INTERSECTION







Activate chamfer-sides by provision of openings (windows, doors), entrance for people or landscaped gardens

RECOMMENDED ARCHITECTURAL STYLES

Qatari Contemporary*











(illustration)

STANDARDS

ARCHITECTURAL STANDARD				
Architectural Theme/ Style	Qatari Contemporary Style (* Refer the details to the Townscape & Architectural Guidelines for Main Streets in Qatar)			
Exterior expression	Clear building expression of a base, a middle and a top			
	The Base Part (podium): should clearly be expressed (eg. with architrave or cornice ornament, should there is no required setback for tower that can distinguish it from the podium)			
	The Middle Part: Should adopt local rooted architectural language for its elements such as openings, shutters, balconies, bays etc. Should reveal the external expression of each storey			
	The Top Part should be marked by parapet or entablature			
Minimum Building separation	 6 m between two buildings with facing non-habitable rooms 8 m between two buildings with a facing non-habitable room and a facing habitable room 12 m between two buildings with facing habitable rooms 			
Party-Wall / Common Wall	The attached building's parts should have its own wall and foundation and comply to the standard of construction and fire-safety			
Floor height (maximum)	 Slab to slab height (mid-point): Ground floor: 5 m Ground floor with mezzanine: 6.5 m Typical floors (residential and other): 3.50 m Ground floor ancillary building: 3.50m 			
Building Orientation	 All the fasade's elements (windows, doors, balcony, bay window, etc) should respect the streets based on their hierarchy. Primary fasade should orientate to the highway /expressway/ collector/ arterial streets. 			
Active frontage features	Entrances, <i>madkhal</i> , lobbies, window openings, arcades, porches etc			
Active chamfer at the intersection	The chamfer side should be activated by providing main access for people and designing active frontage/fasade or small landscaped area with public			

	facilities such as benches, public art, small lawn area, etc	
Building Material	Avoid excessive use of glass-wall Use the low environmental impact materials, that conform to ISO 14025, 14040, 14044, and EN 15804 or ISO 21930	
Window-to-Wall Ratios	Refer to the diagrams	
LANDSCAPE STANDARD		
Forecourt	For buildings along the secondary streets, the forecourts should have small green space for landscape	
Barrier/fences	Street side: not allowed Sides and rear: transparent where possible; maximum height 2.5m	
Green Roof	50% area of the podium and the roof- top should be landscaped with dominant soft-scape (trees, plants, urban farming etc)	
ACCESSIBILITY STANDAR	RD	
Pedestrian access	 Main building entrances should be oriented to the side indicated on the plan. Pedestrian Access on the plan indicates the side for main pedestrian access, not the approximate location 	
Vehicle egress and ingress	Main Vehicular Access on the plan indicates the side and approximate location of the access, subject to site planning and transportation constraints.	
SIGNAGE		
Style	Signage should be an integral part of the building fasade without background.	
	AN BE ANYWHERE WITHIN THE WALL)	

PARTY WALL/ COMMON WALL

PROPERTY 2

PROPERTY 1

Cornice to mark podium

WINDOW-TO-WALL RATIOS



PARKING FORM & LOCATION OPTION



Underground Parking

Integrated Podium Parking

INCENTIVE

Incentive Scheme

Provision of **Privately Owned Public Space – POPS** such *sikka*, pedestrian walkway, public plaza, pocket garden, and Community Facility: Additional floor area of 5 m2 for every 1 m2 provision, up to maximum 10% of total GFA

Provision of Shared Public Parking:

Additional floor area of 50 m2 for provision of each one (1) shared-car parking space, up to maximum 10% of total GFA

PERMITTED USES TABLE

	Type and category	COM	MUC	MUR	RES	Code	Use
			-	•	COM	/IERCIAL	
	Convenience	√	✓	✓	✓		Food, Beverage & Groceries Shop
	Comparison/Speciality	✓	✓	√	×		General Merchandise Store
	Comparison opeciality	√	✓	✓	×		Pharmacy
		✓	✓	√	×		Electrical / Electronics / Computer Shop
Ħ		√	✓	✓	×		Apparel and Accessories Shop
ZE AIL	Food and Beverage	✓	✓	✓	√		Restaurant
Y		√	✓	✓	√		Bakery
		✓	✓	✓	✓		Café
	Shopping Malls	✓	✓	×	×		Shopping Mall
	E-charging Stations	✓	×	×	×		E-charging Station
ų	Services/Offices	✓	✓	✓	×	401	Personal Services
5		√	✓	✓	×		Financial Services and Real Estate
OFFICE FICE		√	✓	√	×		Professional Services
					RESII	DENTIAL	
	Residential	×	√	√	<u> </u>		Residential Flats / Apartments
	Troots and the same of the sam		<u> </u>	<u> </u>	HOSE	PITALITY	
	Hospitality accommodation	√	√	√	×		Serviced Apartments
	Hospitality accommodation	✓	<i>'</i>	<i>'</i>	×	2201	
					_		
							MENTARY
	Educational	*	√	√	✓		Private Kindergarten / Nurseries / Child Care Centers
		✓	✓	✓	×	1020	Technical Training / Vocational / Language School / Centers
		*	✓	✓	×		Boys Qur'anic School / Madrasa / Markaz
		×	✓	✓	×		Girls Qur'anic School
n	Health	✓	✓	✓	×		Primary Health Center
≝		✓	✓	✓	×		Private Medical Clinic
Ţ		√	√	×	×		Private Hospital/Polyclinic
A S		√	√	✓	✓		Ambulance Station
COMMUNITY FACILITIES		✓	√	×	×		Medical Laboratory / Diagnostic Center
Ţ	Governmental	×	√	×	×		Ministry / Government Agency / Authority
2		×	✓	×	×		Municipality
		✓	✓	√	×		Post Office
3		✓	✓	✓	✓		Library
	Cultural	√	√	√	×		Community Center / Services
		√	✓	✓	*		Welfare / Charity Facility
		√	√	×	×		Convention / Exhibition Center
	B !! !	√	√	√	√		Art / Cultural Centers
	Religious	√	√	√	×	1406	Islamic / Dawa Center
Z	Open Space & Recreation	√	√	√	√	4504	Park - Pocket Park
		✓ ✓	√	×	×	1504	Theatre / Cinema
SPORTS AND ENTERTAINMENT		✓	✓				Civic Space - Public Plaza and Public Open Space
	Occupa		✓ ✓	✓ ✓	√	4007	Green ways / Corridors
	Sports	*			*		Tennis / Squash Complex
		*	✓ ✓	✓ ✓	✓ ✓	1609	Basketball / Handball / Volleyball Courts
		*				4040	Small Football Fields
		× ✓	√	√	√		Jogging / Cycling Track
			√	√	√		Youth Centre
2		*	√	√	×	1612	Sports Hall / Complex (Indoor)
SPC		√	√	√	√	4040	Private Fitness Sports (Indoor)
		✓ ✓	✓ ✓	✓	✓		Swimming Pool Immigration / Passport Office
		. /	/	×	×	2107	I Immigration / Passnort ()ttice
OI HEK	Special Use	V ✓	√	×	×		Customs Office

- Supporting uses serves only to the primary use should not be regarded as a separate use. Therefore, their floor area calculation should be included in the GFA of the primary use (e.g. gym facility for residents in an apartment building should be calculated in the Residential GFA, or facilities of a hotel for guests should be calculated in Hospitality GFA).
- Unlisted uses in the table are categorised as non-permitted uses, especially the hazardous/ polluted uses (e.g car repair shops, industries, polluted-workshops, etc).
- Similar uses to the permitted uses in the table will be regarded as conditional cases.