
## **ZONING PLAN**



# **USE REGULATIONS**




GENER	RAL USE MIX				
Zoning Category		Commercial Mixed Use Commer		Mixed Use Residential	Residential
Zoning Code		СОМ	MUC	MUR	RES
Minimum required number of use type*		1	2	2	1
	Commercial:     Retail,     Office	<b>~</b>	<b>*</b> **	<b>✓</b>	*
per	Residential (Flats, Apartments)	*	✓	*	<b>~</b>
Zoning Category	Hospitality (Hotels, Serviced Apartments)	<b>√</b> *	✓	✓	✓
	Secondary/Complementary Uses (Community Facilities, Sport & Entertainment)	✓	✓	✓	✓
See details of	Permitted Uses Table in page 4				


		GFA			
MUC: Mixed Use Commercial	Uses Mix	Plot ≤ 1200 sqm or for Single Tower	Plot ≥ 1201 sqm or for Multiple Towers/ Buildings	Allowed Floor Location	
Commercial**:		Total Com. 15% min	Total Com. 15% min	All	
<ul><li>Retail</li><li>Office</li></ul>	<b>✓</b> *	Retail 25% max	Retail 25% max	Retail at ground level, podium & podium level, top floor level	
Residential (Flats, Apartments)	✓		80% max	All	
Hospitality (Hotels, Serviced Apartments)	✓	85% max	40% max	All Semi-public /publicly accessible facilities (e.g. commercial space) at ground level, podium & podium level, top floor level	
Secondary/ Complementary Uses	✓	20% max		Podium / Top level	
MUR: Mixed Use Residential					
Commercial**: Commercial-Retail, Commercial-Office	✓	2.50 % max	5 % max	Ground level, podium & podium level, top floor level	
Residential (Flats, Apartments)	<b></b> *		40% min	All	
Hospitality (Hotels, Serviced Apartments)	<b>√</b>	80 % min	40% max	All Semi-public /publicly accessible facilities (e.g. commercial space) at ground level, podium & podium level, top floor level	
Secondary/ Complementary Uses	✓	20% max		Podium / Top level	

Uses mix: ☑ Required; ✓ Allowed; \* Not allowed; \* Allow to be substituted with Hospitality Use Type; \*\* Mixing between Commercial Uses only (retail & office) is allowed


SPECIFIC USE REGULATIONS					
Permitted uses	See Permitted Uses Table (page 4)				
Recommended Uses	<ul> <li>Type of commercial in MUC: Establishments and offices with goods or services that cater city-wide (ie. main offices) and complementary to the cultural facilities in the Downtown area</li> <li>Type of commercial in MUR: Domestic or Local Commercial- Retail (ie.convenient store, hair-dresser, salon, tailor, specialty shop, laundry, bakery, cafe etc)</li> </ul>				
Not permitted uses	All other uses not listed in the General Permitted Uses Table (e.g. garage/car repair/heavy industry etc)				
Active Frontage Uses	Percentage: For marked-sides as Active Frontages, min. 60% frontage required as Active Uses				
	Retail, Shops, Food and Beverage (F&B), Offices, Services, Hotels, Government Offices, Clinics, Community Centres, Libraries, etc				





### **BUILDING ENVELOPE & MASSING ILLUSTRATION**



### **BUILDING TYPOLOGY: ATTACHED-PODIUM AND TOWER**







Al Dostour (Local Street – Primary Pedestrian Link)


## BLOCK FORM REGULATIONS

BULK REGULATIONS				
Uses (as per Zoning	MUC: Mixed Use Commer	cial		
Plan)	MUR: Mixed Use Residential			
Height (max)	Sheraouh Street	43.2 m		
	• G+M+10 (Podium G+M+2)	(max)		
	Addi Bin Zaid & Al Dostour & Al Beshadiriya Street	41.7 m (max)		
	• G+10 (Podium G+1)			
FAR (max) (for plot > 1500 sqm, refer to the Block Massing Plan)	6.60 (along Sheraouh (+ 5 % for corner lots)			
	<b>6.10</b> (along Addi Bin Zaid & Al Dostour & Al Beshadiriya Street)			
Building Coverage (max)	75%			
MAIN BUILDINGS				
Typology	Attached-Podium and Towe	er		
Building Placement	Setbacks as per block plan:			
	Sheraouh Street:  Podium: 0 m front; 0 m on sides, up to max. 2/3 plot depth (max.15 m) & 3 m for the remaining 1/3 plot depth; 3 m rear  Tower: 0 m front setback; 3 m sides; 3m rear			
	Addi Bin Zaid & Al Dostour Beshadiriya Street:  Podium: 0 m front; 0 m or max. 2/3 plot depth (max.' for the remaining 1/3 plot or rear  Tower: 3 m front setback; rear	n sides, up to 15 m) & 3 m depth; 3 m		
Build to Line (a set building line on a plot, measured parallel from the front and/or corner side plot line, where the structure must be located. The building facade must be located on the build-to line)	Sheraouh Str (Collector street) & Al Dostour Street: 100% of 0 m front setback (mandatory)     Addi Bin Zaid & Al Beshadiriya Street (Local streets): min. 60% of frontage indicated at block plan			
Building Depth (max)	10 m (single-aspect tower) 15 m (double-aspect tower) 30 m (tower with atrium) 30 m (podium with integrated parking, for plot depth minimum 45 m)			
Building Size	Fine grain; 30 m maximum building width or length			
Primary Active Frontage	As indicated in the plan			

Frontage Profile	Sheraouh & Al Dostour Street.:     Arcades (covered walkways):     2.5 m minimum width     G+M maximum height (Sheraouh Str.)     G max height (Al Dostour Street)     Located as per drawing
	Addi Bin Zaid & Al Beshadiriya Street:     Fore-court; cantillever/overhang on the ground floor
Basement; Half-Basement (undercroft)	<ul> <li>Allowed</li> <li>0 m setbacks</li> <li>0.5 m maximum height from street level (undercroft)</li> </ul>
ANCILLARY BUILDINGS	
Height (max)	G
Setbacks	<ul> <li>Sides: 0 m, up to max. 2/3 plot depth (max.15 m) &amp; 3 m for the remaining 1/3 plot depth;</li> <li>Rear: 3 m</li> </ul>
Building Depth (max)	7.5 m
SITE PLANNING	
Plot Size for Subdivision	Minimum 600 sqm
Small Plot	<ul> <li>Minimum plot size of 600 sqm will allow to reach G+10, with provision of 1 undercroft and 2 basements for car parking.</li> <li>For plot sizes &lt; 600 sqm:         <p>Allowed to be developed up to the maximum parameters set in the plan, subject to possibility of providing required parking on site     </p></li> </ul>
Open Space (min)	5%
ACCESSIBILITY AND CO	NNECTIVITY
Pedestrian Entry Point	As indicated in the plan
Vehicle Access Point	As indicated in the plan
Recommended Public Access on Private Plot	n/a
PARKING	
Location	On-site surface parking/ undercroft/ basement/ podium parking/ Multi-Storey Car Park (MSCP) for plot size > 2000 sqm
Required Number of Spaces	As per general MSDP Car Parking Regulations
	-

- All new development should follow the regulations.
- For existing buildings: the setbacks and heights are indicative; for retrofitting /alteration/ modification changes should not exceed the existing massing.
- For existing buildings which are still new and/or in good condition, it is recommended only to add the required front-part of the building (eg. light structure podium) as per indicated set back and build-to-line (which is zero setback) in the plan

### **BUILDING TYPOLOGY: ATTACHED-PODIUM AND TOWER**



Addi Bin Zaid & Al Beshadiriya Street (Local Streets)


### LANDSCAPE & ACTIVATE CHAMFER-SIDE AT THE INTERSECTION





Provision of green terrace roof garden (min. 50% of the area)

Provision of 'green' on the podium & landscaped forecourt (local streets)




Activate chamfer-sides by provision of openings (windows, doors), entrance for people or landscaped gardens

## RECOMMENDED ARCHITECTURAL STYLES

# **Qatari Contemporary\***














(Source: frasershospitality.

#### (illustration)

### STANDARDS

ARCHITECTURAL STANDARD				
Architectural Theme/ Style	Qatari Contemporary Style (* Refer the details to the <u>Townscape &amp; Architectural Guidelines for Main Streets in Qatar</u> )			
Exterior expression	Clear building expression of a base, a middle and a top			
	The Base Part (podium): should clearly be expressed (eg. with architrave or cornice ornament, should there is no required setback for tower that can distinguish it from the podium)			
	The Middle Part: Should adopt local rooted architectural language for its elements such as openings, shutters, balconies, bays etc. Should reveal the external expression of each storey			
	The Top Part should be marked by parapet or entablature			
Minimum Building separation	<ul> <li>6 m between two buildings with facing non-habitable rooms</li> <li>8 m between two buildings with a facing non-habitable room and a facing habitable room</li> <li>12 m between two buildings with facing habitable rooms</li> </ul>			
Party-Wall / Common Wall	The attached building's parts should have its own wall and foundation and comply to the standard of construction and fire-safety			
Floor height (maximum)	<ul> <li>Slab to slab height (mid-point):</li> <li>Ground floor: 5 m</li> <li>Ground floor with mezzanine: 6.5 m</li> <li>Typical floors (residential and other): 3.50 m</li> <li>Ground floor ancillary building: 3.50m</li> </ul>			
Building Orientation	<ul> <li>All the fasade's elements (windows, doors, balcony, bay window, etc) should respect the streets based on their hierarchy.</li> <li>Primary fasade should orientate to the highway /expressway/ collector/ arterial streets.</li> </ul>			
Active frontage features	Entrances, <i>madkhal</i> , lobbies, window openings, arcades, porches etc			
Active chamfer at the intersection	The chamfer side should be activated by providing main access for people and designing active frontage/fasade or small landscaped area with public			


	facilities such as benches, public art, small lawn area, etc			
Building Material	<ul> <li>Avoid excessive use of glass-wall</li> <li>Use the low environmental impact materials, that conform to ISO 14025, 14040, 14044, and EN 15804 or ISO 21930</li> </ul>			
Window-to-Wall Ratios	Refer to the diagrams			
LANDSCAPE STANDARD				
Forecourt	For buildings along the secondary streets, the forecourts should have small green space for landscape			
Barrier/fences	Street side: not allowed Sides and rear: transparent where possible; maximum height 2.5m			
Green Roof	50% area of the podium and the roof- top should be landscaped with dominant soft-scape (trees, plants, urban farming etc)			
ACCESSIBILITY STANDAR	PD .			
Pedestrian access	<ul> <li>Main building entrances should be oriented to the side indicated on the plan.</li> <li>Pedestrian Access on the plan indicates the side for main pedestrian access, not the approximate location</li> </ul>			
Vehicle egress and ingress	Main Vehicular Access on the plan indicates the side and approximate location of the access, subject to site planning and transportation constraints.			
SIGNAGE				
Style	Signage should be an integral part of the building fasade without background.			
	_;_			



### WINDOW-TO-WALL RATIOS



# PARKING FORM & LOCATION OPTION



### **Underground Parking**

### INCENTIVE

#### **Incentive Scheme**

Provision of **Privately Owned Public Space – POPS** such sikka, pedestrian walkway, public plaza, pocket garden, and Community Facility: Additional floor area of 5 m2 for every 1 m2 provision, up to maximum 10% of total GFA

#### Provision of Shared Public Parking:

Additional floor area of 50 m2 for provision of each one (1) shared-car parking space, up to maximum 10% of total GFA

### PERMITTED USES TABLE

	Type and category	COM	MUC	MUR	RES	Code	Use
		-	-		COM	/IERCIAL	
	Convenience	<b>✓</b>	✓	✓	✓		Food, Beverage & Groceries Shop
RETAIL	Comparison/Speciality	✓	✓	✓	×		General Merchandise Store
	in production g	✓	✓	✓	×		Pharmacy
		✓	✓	✓	×	306	Electrical / Electronics / Computer Shop
		✓	✓	✓	×	309	Apparel and Accessories Shop
Щ	Food and Beverage	✓	✓	✓	✓		Restaurant
œ	· ·	✓	✓	✓	✓	312	Bakery
		✓	✓	✓	✓	313	Café
	Shopping Malls	✓	✓	×	×	314	Shopping Mall
	E-charging Stations	✓	×	×	×		E-charging Station
兴	Services/Offices	✓	✓	✓	×	401	Personal Services
OFFICE		✓	✓	✓	×	402	Financial Services and Real Estate
9		✓	✓	✓	×	403	Professional Services
		<del>-</del>			RESI	DENTIAL	
	Residential	×	✓	✓	✓		Residential Flats / Apartments
					HOSF	PITALITY	
	Hospitality accommodation	<b>✓</b>	✓	✓	×		Serviced Apartments
	. ,	✓	✓	✓	×	2202	Hotel / Resort
		=	SI	COND	ARY / C	COMPLE	MENTARY
	Educational	×	✓	✓	<b>√</b>		Private Kindergarten / Nurseries / Child Care Centers
		<b>√</b>	✓	✓	×		Technical Training / Vocational / Language School / Centers
		×	✓	✓	×	1021	Boys Qur'anic School / Madrasa / Markaz
		×	✓	✓	×		Girls Qur'anic School
	Health	<b>√</b>	✓	✓	×		Primary Health Center
COMMUNITY FACILITIES		<b>✓</b>	✓	✓	×		Private Medical Clinic
Ę.		<b>✓</b>	✓	×	×		Private Hospital/Polyclinic
ᇹ		<b>√</b>	✓	✓	✓		Ambulance Station
Ŧ		<b>√</b>	✓	×	×		Medical Laboratory / Diagnostic Center
≽	Governmental	×	✓	×	×		Ministry / Government Agency / Authority
3		×	✓	×	×		Municipality
$\mathbf{z}$		<b>√</b>	✓	✓	×		Post Office
S		✓	✓	✓	✓		Library
0	Cultural	✓	✓	✓	×	1301	Community Center / Services
		✓	✓	✓	×		Welfare / Charity Facility
		✓	✓	×	×	1303	Convention / Exhibition Center
		✓	✓	✓	✓	1304	Art / Cultural Centers
	Religious	✓	✓	✓	×	1406	Islamic / Dawa Center
Н	Open Space & Recreation	✓	✓	✓	✓		Park - Pocket Park
Ш		✓	✓	×	×	1504	Theatre / Cinema
$\mathbf{z}$		✓	✓	✓	✓		Civic Space - Public Plaza and Public Open Space
₹		✓	✓	✓	✓		Green ways / Corridirs
SPORTS AND ENTERTAINMENT	Sports	×	✓	✓	×	1607	Tennis / Squash Complex
		×	✓	✓	✓	1609	Basketball / Handball / Volleyball Courts
		×	<b>✓</b>	<b>✓</b>	<b>~</b>		Small Football Fields
		×	✓	✓	✓		Jogging / Cycling Track
		✓	✓	✓	✓		Youth Centre
		×	✓	✓	×	1612	Sports Hall / Complex (Indoor)
		✓	✓	✓	✓		Private Fitness Sports (Indoor)
		✓	✓	✓	✓		Swimming Pool
2	Special Use	✓	✓	×	×		Immigration / Passport Office
OTHER		✓	✓	×	×		Customs Office
	Tourism	✓	<b>✓</b>	×	×	2203	Museum

- Supporting uses serves only to the primary use should not be regarded as a separate use. Therefore, their floor area calculation should be included in the GFA of the primary use (e.g. gym facility for residents in an apartment building should be calculated in the Residential GFA, or facilities of a hotel for guests should be calculated in Hospitality GFA).
- Unlisted uses in the table are categorised as non-permitted uses, especially the hazardous/ polluted uses (e.g car repair shops, industries, polluted-workshops, etc).
- Similar uses to the permitted uses in the table will be regarded as conditional cases.