
ZONING PLAN



USE REGU	JLATIONS				
				LEGEN	ND : Policy plan plot Cadastral plot
				MUC	Mixed Use Commercial Build to line Setback for main building
A:	Al Aaliya				Setback for main building upper floors Active frontage
Bin	G+M+14	G+M+14 18110028		Δ	Pedestrian access Main vehicular entrance Pedestrian connection
Amur Al Attiya	18110003				Existing building Arcade
		Museum Street		Note: If	Main Building (Illustration) Podium there is discrepancy,use Policy Plan plot
		A 0 10	_20 Mt 1:1000		dastral plot)

Zoning Code	COM				
		MUC	MUR	RES	
equired number of use type*	1	2	2	1	
commercial:	√	**	✓	×	
Residential Flats, Apartments)	×	✓	*	$\overline{\mathbf{V}}$	
lospitality Hotels, Serviced Apartments)	✓	✓	✓	✓	
econdary/Complementary Ises Community Facilities, Sport & Intertainment)	✓	✓	✓	√	
	Retail Office esidential lats, Apartments) ospitality lotels, Serviced Apartments) econdary/Complementary ses community Facilities, Sport &	Retail Office esidential lats, Apartments) ospitality lotels, Serviced Apartments) econdary/Complementary ses community Facilities, Sport & intertainment)	Retail Office esidential lats, Apartments) ospitality lotels, Serviced Apartments) econdary/Complementary ses community Facilities, Sport & intertainment)	■ Retail ■ Office esidential lats, Apartments) pospitality lotels, Serviced Apartments) econdary/Complementary sees community Facilities, Sport & ontertainment)	


DETAILED USE SPLIT				
		GFA		
MUC: Mixed Use Commercial	Uses Mix	Plot < 2000 sqm or for Single Tower/ Higher Building	Plot ≥ 2000 sqm or for Multiple Tower/ Higher Buildings	Allowed Floor Location
Commercial**:		Total Com. 25% min	Total Com. 25% min	All
Retail Office	7	Retail 25% max	Retail 25% max	Retail at ground level; podium; 1st floor above podium; top floor level
Residential (Flats, Apartments)	✓	80% max	80% max	All
Hospitality (Hotels, Serviced Apartments)	√		40% max	All Semi-public /publicly accessible facilities (e.g. commercial space) at ground level; podium; 1st floor above podium; top floor level
Secondary/Complementary Uses	✓	20%	max	Podium; 1st floor above podium; top level

Uses mix: ☑ Required; ✓ Allowed; ➤ Not allowed;


* In Mixed Use Residential, the required Residential Use Type can be substituted with Hospitality Use Type (e.g. hotel, serviced apartment);

** In Mixed Use Commercial, mixing between Commercial Uses only (Retail & Office) is allowed and this already fulfils the requirement 2 mix


SPECIFIC USE REGULATIONS			
Permitted uses	See Permitted Uses Table (page 4)		
Recommended Uses	Type of commercial in MUC: Establishments and offices with goods or services that cater city-wide (ie. main offices) and complementary to the cultural facilities in the Downtown area		
Not permitted uses	All other uses not listed in the General Permitted Uses Table (e.g. garage/car repair/heavy industry etc)		
Active Frontage Uses	Percentage: For marked-sides as Active Frontages, min. 60% frontage required as Active Uses		
	Retail, Shops, Food and Beverage (F&B), Offices, Services, Hotels, Government Offices, Clinics, Community Centres, Libraries, etc		



1BUILDING ENVELOPE & MASSING ILLUSTRATION



BUILDING TYPOLOGY: ATTACHED-PODIUM AND TOWER




BLOCK FORM REGULATIONS

Uses (as per Zoning Plan)	MUC: Mixed Use Commercial			
Height (max)	Museum & Ali Bin Amur At Attiya Street	57.2 m (max)		
	• G+M+14 (Podium G+M+2)			
	Al Aaliya Local Street	55.7m (max)		
	• G+14 (Podium G+1)			
FAR (max) (for large plots > 2000 sqm or ≥ 10,000 sqm, refer to the Block Massing Plan and Site Planning)	8.20 (along Museum & Ali Bin Amur At Attiya Street)	(+ 5 % for corner lots)		
FAR (max) (in the case of possible future subdivision and multiple buildings design)	7.70 (along Al Aliya Street)	-		
Building Coverage (max)	75%	(+ 5 % for corner lots)		
MAIN BUILDINGS				
Typology	Attached-Podium and Tower			
Building Placement	Setbacks as per block plan:			
	Ali Bin Amur At Attiya: Podium: 0 m front; 0 m on sides, up to 3 m (depth of tower set back) & 3 m for the remaining 1/3 plot depth; Tower: 3 m front setback; 3m sides;			
	remaining 1/3 plot depth;			
	remaining 1/3 plot depth;	m sides; sides, up to 3 m for the		
	remaining 1/3 plot depth; Tower: 3 m front setback; 3 Museum Street Podium: 0 m front; 0 m on 2/3 plot depth (max.15 m) 8 remaining 1/3 plot depth;	m sides; sides, up to a 3 m for the m sides; sides, up to a 3 m for the		
Build to Line (a set building line on a plot, measured parallel from the front and/or comer side plot line, where the structure must be located. The building facade must be located on the build-to line	remaining 1/3 plot depth; Tower: 3 m front setback; 3 Museum Street Podium: 0 m front; 0 m on 2/3 plot depth (max.15 m) 8 remaining 1/3 plot depth; Tower: 0 m front setback; 3 Al Aaliya Street: Podium: 0 m front; 0 m on 2/3 plot depth (max.15 m) 8 remaining 1/3 plot depth; Tower: 3 m front setback; 3 Museum Str & Ali Bin Am Str (Collector street): 1009 setback (mandatory)	m sides; sides, up to a 3 m for the m sides; sides, up to a 3 m for the sim sides ur At Attiya of 0m front		
(a set building line on a plot, measured parallel from the front and/or comer side plot line, where the structure must be located. The building facade must be	remaining 1/3 plot depth; Tower: 3 m front setback; 3 Museum Street Podium: 0 m front; 0 m on 2/3 plot depth (max.15 m) 8 remaining 1/3 plot depth; Tower: 0 m front setback; 3 Al Aaliya Street: Podium: 0 m front; 0 m on 2/3 plot depth (max.15 m) 8 remaining 1/3 plot depth; Tower: 3 m front setback; 3 Museum Str & Ali Bin Am Str (Collector street): 1005 setback (mandatory) Al Aaliya Street: min.90%	m sides; sides, up to a 3 m for the m sides; sides, up to a 3 m for the sides, up to a 3 m for the sides sides wir At Attiya % of 0m front of indicated		
(a set building line on a plot, measured parallel from the front and/or comer side plot line, where the structure must be located. The building facade must be located on the build-to line	remaining 1/3 plot depth; Tower: 3 m front setback; 3 Museum Street Podium: 0 m front; 0 m on 2/3 plot depth (max.15 m) 8 remaining 1/3 plot depth; Tower: 0 m front setback; 3 Al Aaliya Street: Podium: 0 m front; 0 m on 2/3 plot depth (max.15 m) 8 remaining 1/3 plot depth; Tower: 3 m front setback; 3 Museum Str & Ali Bin Am Str (Collector street): 1009 setback (mandatory) Al Aaliya Street: min.90% frontage at the block plan 10 m (single-aspect tower) 15 m (double-aspect tower) 30 m (tower with atrium) 30 m (podium with integrated p	m sides; sides, up to a 3 m for the m sides; sides, up to a 3 m for the sides are sides. The sides are sid		

Frontage Profile	Museum & Ali Bin Amur Al Attiya Street: Arcades (covered walkways): • 2.5 m minimum width • G+M maximum height • Located as per drawing
	Al Aliya Street Colonnades (a row of columns with minimum 1 meter distance to fasade for terrace, etc)
Basement; Half-Basement (undercroft)	Allowed 0 m setbacks 0.5 m maximum height from street level (undercroft)
ANCILLARY BUILDINGS	
Height (max)	G
Setbacks	Sides:0 m on sides, up to 3 m (depth of tower set back) & 3 m for the remaining 1/3 plot depth;
Building Depth (max)	7.5 m
SITE PLANNING	
Plot Size for Subdivision	Minimum 800 sqm
Small Plot	Minimum plot size of 800 sqm will allow to reach G+14, with provision of 1 undercroft and 2 basements for car parking. For plot sizes < 800 m2: Allowed to be developed up to the maximum parameters set in the plan, subject to possibility of providing required parking on site
Open Space (min)	5%
Plots 2000sqm –9999sqm	 FAR: as stated in the Block Massing Plan Building Coverage: 75% Open Space: 10% min Internal streets & utilities: 15% max
ACCESSIBILITY AND CON	NECTIVITY
Pedestrian Entry Point	As indicated in the plan
Vehicle Access Point	As indicated in the plan
Recommended Public Access on Private Plot	n/a
PARKING	
Location	On-site parking/ undercroft/ basement/ podium parking/ Multi-Storey Car Park (MSCP) for plot size > 2000 sqm
Required Number of Spaces	As per general MSDP Car Parking Regulations
Parking Waiver	30% reduction in parking provision requirement;

- All new development should follow the regulations.
- For existing buildings: the setbacks and heights are indicative, for retrofitting /alteration/ modification changes should not exceed the existing massing.
- For existing buildings which are still new and/or in good condition, it is recommended only to add the required front-part of the building (eg. light structure podium) as per indicated set back and build-to-line (which is zero setback) in the plan

BUILDING TYPOLOGY



Al Aaliya Street (Local Street - Primary Pedestrian Link)


LANDSCAPE & ACTIVATE CHAMFER-SIDE AT THE INTERSECTION





Provision of green terrace roof garden (min. 50% of the area)

Provision of 'green' on the podium & landscaped forecourt (local streets)




Activate chamfer-sides by provision of openings (windows, doors), entrance for people or landscaped gardens

RECOMMENDED ARCHITECTURAL STYLES

Qatari Contemporary*














r.com) (Source: frasershospit

(illustration)

STANDARDS

ARCHITECTURAL STANDARD			
Architectural Theme/ Style	Qatari Contemporary Style (* Refer the details to the Townscape & Architectural Guidelines for Main Streets in Qatar)		
Exterior expression	Clear building expression of a base, a middle and a top		
	The Base Part (podium): should clearly be expressed (eg.with architrave or corniche ornament, should there is no required setback for tower that can distinguish it from the podium)		
	The Middle Part: Should adopt local rooted architectural language for its elements such as openings, shutters, balconies, bays etc. Should reveal the external expression of each storey		
	The Top Part should be marked by parapet or entablature		
Minimum Building separation	 6 m between two buildings with facing non-habitable rooms 8 m between two buildings with a facing non-habitable room and a facing habitable room 12 m between two buildings with facing habitable rooms 		
Party-Wall / Common Wall	The attached building's parts should have its own wall and foundation and comply to the standard of contruction and fire-safety		
Floor height (maximum)	Slab to slab height (mid-point): Ground floor: 5 m Ground floor with mezzanine: 6.5 m Typical floors (residential and other): 3.50 m Ground floor ancillary building: 3.50 m		
Building Orientation	All the fasade's elements (windows, doors, balcony, bay window, etc) should respect the streets based on their hierarchy. Primary fasade should orientate to the highway /expressway/ collector/ arterial streets.		
Active frontage features	Entrances, <i>madkhal</i> , lobbies, window openings, arcades, porches etc		
Active chamfer at the intersection	The chamfer side should be activated by providing main access for people and designing active frontage/fasade or small landscaped area with public		


	facilities such as benches, public art, small lawn area, etc
Building Material	 Avoid excessive use of glass-wall Use the low environmental impact materials, that conform to ISO 14025, 14040, 14044, and EN 15804 or ISO 21930
Window-to-Wall Ratios	Refer to the diagrams
LANDSCAPE STANDARD	
Forecourt	For buildings along the secondary streets, the forecourts should have small green space for landscape
Barrier/fences	Street side: not allowed Sides and rear: transparent where possible; maximum height 2.5 m
Green Roof	50% area of the podium and the roof- top should be landscaped with dominant soft-scape (trees, plants, urban farming etc)
ACCESSIBILITY STANDA	RD
Pedestrian access	 Main building entrances should be oriented to the side indicated on the plan. Pedestrian Access on the plan indicates the side for main pedestrian access, not the approximate location
Vehicle egress and ingress	Main Vehicular Access on the plan indicates the side and approximate location of the access, subject to site planning and transportation constraints.
SIGNAGE	
Style	Signage should be an integral part of the building fasade without background.
	ALI)



WINDOW-TO-WALL RATIOS



PARKING FORM & LOCATION OPTION



INCENTIVE

Incentive Scheme

Provision of **Privately Owned Public Space – POPS** such *sikka*, pedestrian walkway, public plaza, pocket garden, and Community Facility: Additional floor area of 5 m2 for every 1 m2 provision, up to maximum 10% of total GFA

Provision of Shared Public Parking:

Additional floor area of 50 m2 for provision of each one (1) shared-car parking space, up to maximum 10% of total GFA

PERMITTED USES TABLE

	Type and category	COM	MUC	MUR	RES	Code	Use
		-	-	-	COM	IERCIAL	
	Convenience	✓	✓	✓	✓	301	Food, Beverage & Groceries Shop
	Comparison/Speciality	✓	✓	✓	×		General Merchandise Store
		✓	✓	✓	×	303	Pharmacy
		✓	✓	✓	×		Electrical / Electronics / Computer Shop
		✓	✓	✓	×		Apparel and Accessories Shop
	Food and Beverage		✓	✓	✓		Restaurant
4	. oou ana zororago	\checkmark	√	✓	√		Bakery
		\checkmark	√	√	√		Café
-	Shopping Malls	✓	√	×	×		Shopping Mall
	E-charging Stations	√	×	×	×		E-charging Station
	Services/Offices	· ✓	√	√	×	401	Personal Services
1010	Services/Offices	√	✓	√	×		Financial Services and Real Estate
=		-	✓	·	×		Professional Services
,		<u> </u>	<u> </u>				Professional Services
	Decidential	1 44	√	√	KE5II	DENTIAL	Desidential Flate / Americante
_	Residential	×	· ·	· ·	-		Residential Flats / Apartments
4	11 14 14 14	1 /			•	PITALITY	
	Hospitality accommodation	✓	✓ ✓	√	*		Serviced Apartments
		· ·	· ·	V	×	2202	Hotel / Resort
		<u> </u>		ECOND	ARY / (MENTARY
	Educational	×	✓	✓	✓		Private Kindergarten / Nurseries / Child Care Centers
		✓	✓	✓	×		Technical Training / Vocational / Language School / Centers
		×	✓	✓	×		Boys Qur'anic School / Madrasa / Markaz
		×	✓	✓	×		Girls Qur'anic School
	Health	✓	✓	✓	×	1102	Primary Health Center
í		✓	✓	✓	×	1103	Private Medical Clinic
5		✓	✓	*	×	1104	Private Hospital/Polyclinic
5		✓	✓	✓	✓		Ambulance Station
		✓	✓	×	×	1106	Medical Laboratory / Diagnostic Center
-	Governmental	×	✓	×	×		Ministry / Government Agency / Authority
		×	✓	×	×		Municipality
		✓	√	√	×		Post Office
5		✓	√	✓	✓		Library
-	Cultural	✓	√	√	×		Community Center / Services
	ountai ui	✓	√	√	×		Welfare / Charity Facility
		✓	√	×	×		Convention / Exhibition Center
		✓	✓	✓	✓		Art / Cultural Centers
-	Religious	· /	√	<i>'</i>	×		Islamic / Dawa Center
	Open Space & Recreation	· /	√	· ✓	√ ·	1700	Park - Pocket Park
	Open Space & Recreation	✓	✓	×	×	1504	Theatre / Cinema
		✓	✓	~	^	1304	Civic Space - Public Plaza and Public Open Space
		✓	✓	V	V		
} -	Con a set a	-	∨	∨		4007	Green ways / Corridors
	Sports	*			×		Tennis / Squash Complex
		*	√	√	√	1609	Basketball / Handball / Volleyball Courts
		×	√	√	√	101-	Small Football Fields
		×	√	√	√		Jogging / Cycling Track
		✓	✓	✓	✓		Youth Centre
		×	✓	✓	×	1612	Sports Hall / Complex (Indoor)
2		✓	✓	✓	✓		Private Fitness Sports (Indoor)
		✓	✓	✓	✓		Swimming Pool
1	Special Use	✓	✓	×	×		Immigration / Passport Office
		✓	✓	×	×		Customs Office
	Tourism	✓	✓	×	×	2203	Museum

- Supporting uses serves only to the primary use should not be regarded as a separate use. Therefore, their floor area calculation should be included in the GFA of the primary use (e.g. gym facility for residents in an apartment building should be calculated in the Residential GFA, or facilities of a hotel for guests should be calculated in Hospitality GFA).
- Unlisted uses in the table are categorised as non-permitted uses, especially the hazardous/ polluted uses (e.g car repair shops, industries, polluted-workshops, etc).
- Similar uses to the permitted uses in the table will be regarded as conditional cases.