

### **ZONING PLAN**





GENER	AL USE MIX					
Zoning Category		Commercial	Mixed Use Commercial	Mixed Use Residential	Residential	
Zoning Code		СОМ	MUC	MUC MUR		
Minimum	n required number of use type*	1	2	2	1	
	Commercial:	<b>~</b>	**	<b>✓</b>	*	
Use Type	Residential (Flats, Apartments)	*	<b>✓</b>	<b>*</b>	<b>7</b>	
per Zoning Category	Hospitality (Hotels, Serviced Apartments)	✓	<b>✓</b>	✓	✓	
	Secondary/Complementary Uses (Community Facilities, Sport & Entertainment)	✓	<b>✓</b>	✓	✓	
See details	of Permitted Uses Table in page 4					


DETAILED USE SPLIT				
		GFA	split	
MUC: Mixed Use Commercial	Uses Mix	Plot < 2000 sqm or for Single Tower/ Higher Building	Plot ≥ 2000 sqm or for Multiple Tower/ Higher Buildings	Allowed Floor Location
Commercial**:		Total Com. 25% min	Total Com. 25% min	All
Retail     Office	V	Retail 25% max	Retail 25% max	Retail at ground level; podium; 1st floor above podium; top floor level
Residential (Flats, Apartments)	✓	80% max	80% max	All
Hospitality (Hotels, Serviced Apartments)	<b>√</b>		40% max	All Semi-public /publicly accessible facilities (e.g. commercial space) at ground level; podium; 1st floor above podium; top floor level
Secondary/Complementary Uses	✓	20%	max	Podium; 1st floor above podium; top level

Uses mix: ☑ Required; ✓ Allowed; ➤ Not allowed;

\* In Mixed Use Residential, the required Residential Use Type can be substituted with Hospitality Use Type (e.g. hotel, serviced apartment);

\*\* In Mixed Use Commercial, mixing between Commercial Uses only (Retail & Office) is allowed and this already fulfils the requirement 2 mix

in Mixed Ose Confinercial, mixing between Confinercial Oses only (Netali & Office) is allowed and this already family the requirement 2 mix			
SPECIFIC USE REGULATIONS			
Permitted uses	See Permitted Uses Table (page 4)		
Recommended Uses	<b>Type of commercial in MUC:</b> Establishments and offices with goods or services that cater city-wide (ie. main offices) and complementary to the cultural facilities in the Downtown area		
Not permitted uses	All other uses not listed in the General Permitted Uses Table (e.g. garage/car repair/heavy industry etc)		
Active Frontage Uses	Percentage: For marked-sides as Active Frontages, min. 60% frontage required as Active Uses		
	Retail, Shops, Food and Beverage (F&B), Offices, Services, Hotels, Government Offices, Clinics, Community Centres, Libraries, etc		



### **BUILDING ENVELOPE & MASSING ILLUSTRATION**



#### 88BUILDING TYPOLOGY: ATTACHED-PODIUM AND TOWER Tower: G+M+14 Tower: G+14 Podium: G+M+2 Podium: G+1 Arcade G+M Colonnades G Arcades Access to rear or Connector G+M basement parking Access to rear or basement parking Al Aaliya Street (Local Street - Primary Pedestrian Link) Safliya Street (Collector Street)


### **BLOCK FORM REGULATIONS**

BULK REGULATIONS Uses (as per Zoning	MUC: Mixed Use Commerc	ial		
Plan)	WOC. Wilked Ose Commerc	iai		
Height (max)	As stated in the Block Massing Plan			
Height (max)	Al Safliya Street	57.2 m		
(in the case of future consolidation with adjacent plots, and the new plot size aligns with minimum criteria of	• G+M+14 (Podium G+M+2)	(max)		
800 sqm for G+14 max, as set for Zone 18)	Al Aaliya & Al Siyaha Street	55.7 m (max)		
	• G+14 (Podium G+1)			
FAR (max)	As stated in the Block Mass	ing Plan		
FAR (max)	8.20 (along Safliya Street)	(+ 5 % for		
(in the case of future consolidation with adjacent plots, and the new plot size aligns with minimum criteria of 800 sqm for G+14 max, as set for Zone 18)	7.70 (along Al Aaliya & Al Siyaha Street)			
Building Coverage (max)	75%			
MAIN BUILDINGS				
Typology	Attached-Podium and Tov	ver		
Building Placement	Setbacks as per block plan:			
	<ul> <li>Street:</li> <li>Podium: 0 m front; 0 m on sides, up to 2/3 plot depth (max.15 m) &amp; 3 m for the remaining 1/3 plot depth;</li> <li>Tower: 3 m front setback; 3m sides;</li> </ul>			
Build to Line (a set building line on a plot, measured parallel from the front and/or corner side plot line, where the structure must be located. The building facade must be located on the build-to line)	Museum Park Str (Collector street):     100% of 0m front setback (mandatory)     Al Aaliya Street: min.90% of indicated frontage at the block plan     Al Siyaha Street (Local street): min. 60% of frontage indicated at block plan			
Building Depth (max)	10 m (single-aspect tower) 15 m (double-aspect tower) 30 m (tower with atrium) 30 m (podium with integrated parking, for plot depth minimum 45 m)			
Building Size	Fine grain; 30 m maximum building width or length			
Primary Active Frontage	As indicated in the plan			
Frontage Profile	Museum Park Street.: Arcades (covered walkways): • 2.5 m minimum width • G+M maximum height • Located as per drawing			

Basement; Half-Basement	Al Aaliya Street: Colonnades (a row of columns with minimum 1 meter distance to fasade for terrace, etc) Al Siyaha Street: Fore-court; cantilever/overhang on the ground floor  • Allowed			
(undercroft)	O m setbacks     O.5 m maximum height from street level (undercroft)			
ANCILLARY BUILDINGS				
Height (max)	G			
Setbacks	• Sides: 0 m, up to 2/3 plot depth (max.15 m) & 3 m for the remaining 1/3 plot depth;			
Building Depth (max)	7.5 m			
SITE PLANNING				
Plot Size for Subdivision	Minimum 800 sqm			
Small Plot	<ul> <li>Minimum plot size of 800 sqm will allow to reach G+14, with provision of 1 undercroft and 2 basements for car parking.</li> <li>For plot sizes &lt; 800 m2:         <p>Allowed to be developed up to the maximum parameters set in the plan, subject to possibility of providing required parking on site     </p></li> </ul>			
Open Space (min)	5%			
ACCESSIBILITY AND CO	NNECTIVITY			
Pedestrian Entry Point	As indicated in the plan			
Vehicle Access Point	As indicated in the plan			
Recommended Public Access on Private Plot	n/a			
PARKING				
Location	On-site parking/ undercroft/ basement/ podium parking/ Multi-Storey Car Park (MSCP) for plot size > 2000 sqm			
Required Number of Spaces	As per general MSDP Car Parking Regulations			
Parking Waiver	30% reduction in parking provision requirement			

- All new development should follow the regulations.
- For existing buildings: the setbacks and heights are indicative, for retrofitting /alteration/ modification changes should not exceed the existing massing.
- For existing buildings which are still new and/or in good condition, it is recommended only to add the required front-part of the building (eg. light structure podium) as per indicated set back and build-to-line (which is zero setback) in the plan

### FRONTAGE PROFILES



Al Siyaha Street: Type 1 (Fore-court & landscape); or Local Street Type 2 (Fore-court & Staircase), if there is half-basement)

### LANDSCAPE & ACTIVATE CHAMFER SIDE AT THE INTERSECTION






Provision of green terrace roof garden (min. 50% of the area) Provision of 'green' on the podium & landscaped forecourt (local streets)

Activate chamfer-sides by provision of openings (windows, doors), entrance for people or landscaped gardens

### RECOMMENDED ARCHITECTURAL STYLES

# **Qatari Contemporary\***











(illustration)

### STANDARDS

Type 2

ARCHITECTURAL STANDARD				
Architectural Theme/ Style	Qatari Contemporary Style (* Refer the details to the <u>Townscape &amp; Architectural Guidelines for Main Streets in Qatar</u> )			
Exterior expression	Clear building expression of a base, a middle and a top			
	The Base Part (podium): should clearly be expressed (eg.with architrave or corniche ornament, should there is no required setback for tower that can distinguish it from the podium)			
	The Middle Part: Should adopt local rooted architectural language for its elements such as openings, shutters, balconies, bays etc. Should reveal the external expression of each storey			
	The Top Part should be marked by parapet or entablature			
Minimum Building separation	<ul> <li>6 m between two buildings with facing non-habitable rooms</li> <li>8 m between two buildings with a facing non-habitable room and a facing habitable room</li> <li>12 m between two buildings with facing habitable rooms</li> </ul>			
Party-Wall / Common Wall	The attached building's parts should have its own wall and foundation and comply to the standard of contruction and fire-safety			
Floor height (maximum)	Slab to slab height (mid-point):     Ground floor: 5 m     Ground floor with mezzanine: 6.5 m     Typical floors (residential and other): 3.50 m     Ground floor ancillary building: 3.50 m			
Building Orientation	<ul> <li>All the fasade's elements (windows, doors, balcony, bay window, etc) should respect the streets based on their hierarchy.</li> <li>Primary fasade should orientate to the highway /expressway/ collector/ arterial streets.</li> </ul>			
Active frontage features	Entrances, <i>madkhal</i> , lobbies, window openings, arcades, porches etc			
Active chamfer at the intersection	The chamfer side should be activated by providing main access for people and designing active frontage/fasade or small landscaped area with public			

	facilities such as benches, public art, small lawn area, etc
Building Material	Avoid excessive use of glass-wall     Use the low environmental impact materials, that conform to ISO 14025, 14040, 14044, and EN 15804 or ISO 21930
Window-to-Wall Ratios	Refer to the diagrams
LANDSCAPE STANDARD	
Forecourt	For buildings along the secondary streets, the forecourts should have small green space for landscape
Barrier/fences	Street side: not allowed Sides and rear: transparent where possible; maximum height 2.5 m
Green Roof	50% area of the podium and the roof- top should be landscaped with dominant soft-scape (trees, plants, urban farming etc)
ACCESSIBILITY STANDAR	RD
Pedestrian access	<ul> <li>Main building entrances should be oriented to the side indicated on the plan.</li> <li>Pedestrian Access on the plan indicates the side for main pedestrian access, not the approximate location</li> </ul>
Vehicle egress and ingress	Main Vehicular Access on the plan indicates the side and approximate location of the access, subject to site planning and transportation constraints.
SIGNAGE	
Style	Signage should be an integral part of the building fasade without background.
	E ANYWHERE WITHIN THE WALL)

PARTY WALL/ COMMON WALL

PROPERTY 2


PROPERTY 1

Cornice to mark podium

### WINDOW-TO-WALL RATIOS



## PARKING FORM & LOCATION OPTION



#### .

### **Incentive Scheme**

INCENTIVE

Provision of **Privately Owned Public Space – POPS** such *sikka*, pedestrian walkway, public plaza, pocket garden, and Community Facility: Additional floor area of 5 m2 for every 1 m2 provision, up to maximum 10% of total GFA

Provision of Shared Public Parking:

Additional floor area of 50 m2 for provision of each one (1) shared-car parking space, up to maximum 10% of total GFA

### PERMITTED USES TABLE

	Type and category	COM	MUC	MUR	RES	Code	Use
					COM	/IERCIAL	
(	Convenience	<b>√</b>	✓	✓	✓		Food, Beverage & Groceries Shop
	Comparison/Speciality	<b>√</b>	✓	✓	×		General Merchandise Store
		<b>√</b>	✓	<b>√</b>	×		Pharmacy
		<b>√</b>	✓	✓	×		Electrical / Electronics / Computer Shop
		<b>√</b>	✓	✓	×		Apparel and Accessories Shop
KE I AIL	Food and Beverage	<b>√</b>	✓	✓	<b>√</b>		Restaurant
ב ו	ood ama zorora <b>g</b> o	<b>√</b>	✓	<b>√</b>	✓		Bakery
		<b>√</b>	✓	✓	<b>√</b>		Café
9	Shopping Malls	<b>√</b>	✓	×	×		Shopping Mall
	E-charging Stations	✓	×	×	×		E-charging Station
	Services/Offices	<b>√</b>	✓	✓	×	401	Personal Services
2		<b>√</b>	✓	✓	×		Financial Services and Real Estate
		✓	✓	✓	×		Professional Services
•		_			RESII	DENTIAL	
F	Residential	×	<b>√</b>	<b>√</b>	<b>√</b>		Residential Flats / Apartments
	TOOTHORITAIN			<u> </u>	HOSE	PITALITY	
1	Hospitality accommodation	✓	<b>√</b>	<b>√</b>	×		Serviced Apartments
	nospitality accommodation	<u> </u>	<b>✓</b>	<i>'</i>	×	2201	
_		<u> </u>			_		
		T					MENTARY
E	Educational	×	✓	<b>√</b>	✓		Private Kindergarten / Nurseries / Child Care Centers
		✓	✓	✓	×	1020	Technical Training / Vocational / Language School / Centers
		×	✓	✓	×		Boys Qur'anic School / Madrasa / Markaz
L		×	✓	✓	×		Girls Qur'anic School
ا ا	Health	<b>√</b>	✓	✓	×		Primary Health Center
<b>≝</b>		✓	✓	✓	×		Private Medical Clinic
⊒		✓	✓	×	×		Private Hospital/Polyclinic
3		✓	✓	✓	✓		Ambulance Station
		✓	✓	×	×		Medical Laboratory / Diagnostic Center
	Governmental	*	✓	×	×		Ministry / Government Agency / Authority
5		*	✓	×	×		Municipality
		✓	✓	✓	×		Post Office
		✓	✓	✓	✓		Library
	Cultural	✓	✓	✓	×		Community Center / Services
		✓	✓	✓	×		Welfare / Charity Facility
		✓	✓	×	×		Convention / Exhibition Center
		✓	✓	✓	✓	1304	Art / Cultural Centers
F	Religious	✓	<b>✓</b>	✓	×	1406	Islamic / Dawa Center
	Open Space & Recreation	✓	<b>✓</b>	✓	✓		Park - Pocket Park
		✓	<b>✓</b>	×	×	1504	Theatre / Cinema
SPURIS AND ENIERIAINMENT		✓	✓	✓	✓		Civic Space - Public Plaza and Public Open Space
<b>Z</b>		✓	✓	✓	✓		Green ways / Corridors
2 3	Sports	×	✓	✓	×	1607	Tennis / Squash Complex
		×	✓	✓	✓	1609	Basketball / Handball / Volleyball Courts
ī		×	✓	✓	✓		Small Football Fields
		×	✓	✓	✓	1610	Jogging / Cycling Track
2		✓	✓	✓	✓		Youth Centre
		×	✓	✓	×		Sports Hall / Complex (Indoor)
5		✓	✓	✓	✓		Private Fitness Sports (Indoor)
ס		✓	✓	✓	✓	1613	Swimming Pool
۷ 5	Special Use	<b>√</b>	✓	×	×		Immigration / Passport Office
S I		<b>√</b>	√	×	×		Customs Office
		· /	<b>√</b>	×	×		Museum

- Supporting uses serves only to the primary use should not be regarded as a separate use. Therefore, their floor area calculation should be included in the GFA of the primary use (e.g. gym facility for residents in an apartment building should be calculated in the Residential GFA, or facilities of a hotel for guests should be calculated in Hospitality GFA).
- Unlisted uses in the table are categorised as non-permitted uses, especially the hazardous/ polluted uses (e.g car repair shops, industries, polluted-workshops, etc).
- Similar uses to the permitted uses in the table will be regarded as conditional cases.