

USE REGULATIONS				
Al Baladiya	LEGEND:			
Al baladiya	Policy plan plot			
	Cadastral plot			
	MUC Mixed Use Commercial			
	Build to line			
G+M+14 18150014	Setback for main building			
	Setback for main building upper floors			
ereje	Active frontage			
ene sue jara na mara n	▲ Pedestrian access			
	△ Main vehicular entrance			
G+M+14 18150008 G+M+14 18150011	····· Pedestrian connection			
The Ham	Existing building			
ME.	Arcade			
G+M+14	Main Building (Illustration)			
18150011	Podium			
Al Saftiya	Note: If there is discrepancy,use Policy Plan plot (not cadastral plot)			
/ 0 10 20 Mt 1:1000				

GENER/	AL USE MIX				
Zoning Category		Commercial Mixed Use Commercial		Mixed Use Residential	Residential
	Zoning Code	COM MUC		MUR	RES
Minimun	required number of use type*	1	2	2	1
	Commercial:	V	**	✓	*
Use Type	Residential (Flats, Apartments)	*	✓	*	$\overline{\mathbf{V}}$
Zoning Category	Hospitality (Hotels, Serviced Apartments)	✓	✓	✓	✓
	Secondary/Complementary Uses (Community Facilities, Sport & Entertainment)	✓	✓	✓	✓
See details	of Permitted Uses Table in page 4				


DETAILED USE SPLIT					
		GFA			
MUC: Mixed Use Commercial	Uses Mix	Plot < 2000 sqm or for Single Tower/ Higher Building	Plot ≥ 2000 sqm or for Multiple Tower/ Higher Buildings	Allowed Floor Location	
Commercial**: • Retail • Office		Total Com. 25% min	Total Com. 25% min	All	
		Retail 25% max	Retail 25% max	Retail at ground level; podium; 1st floor above podium; top floor level	
Residential (Flats, Apartments)	✓	80% max	80% max	All	
Hospitality (Hotels, Serviced Apartments)	✓		40% max	All Semi-public /publicly accessible facilities (e.g. commercial space) at ground level; podium; 1st floor above podium; top floor level	
Secondary/Complementary Uses	✓	20% max Podium; 1st floor above podium top level			


Uses mix: ☑ Required; ✓ Allowed; ➤ Not allowed;

* In Mixed Use Residential, the required Residential Use Type can be substituted with Hospitality Use Type (e.g. hotel, serviced apartment);


** In Mixed Use Commercial, mixing between Commercial Uses only (Retail & Office) is allowed and this already fulfils the requirement 2 mix

In Mixed 666 Commorbidit, mixing between Commorbidit 6666 only (Notalina Cinical) to another the area and the requirement 2 mix				
SPECIFIC USE REGULATIONS				
Permitted uses	See Permitted Uses Table (page 4)			
Recommended Uses	Type of commercial in MUC: Establishments and offices with goods or services that cater city-wide (ie. main offices) and complementary to the cultural facilities in the Downtown area			
Not permitted uses	All other uses not listed in the General Permitted Uses Table (e.g. garage/car repair/heavy industry etc)			
Active Frontage Uses	Percentage: For marked-sides as Active Frontages, min. 60% frontage required as Active Uses			
	Retail, Shops, Food and Beverage (F&B), Offices, Services, Hotels, Government Offices, Clinics, Community Centres, Libraries, etc			





Jabr Bin Mohammed Street (Collector Street)



Al Safliya (Local Street - Primary Pedestrian Link)

BLOCK FORM REGULATIONS

BULK REGULATIONS				
Uses (as per Zoning Plan)	MUC: Mixed Use Commercia	I		
Height (max)	• G+M+14 (Podium G+M+2)	57.2 m (max)		
	Bu Shajara & Al Safliya Street	55.7 m (max)		
	• G+14 (Podium G+1)			
FAR (max)	8.20 (along Jabr Bin Mohammed Street)	(+ 5 % for corner lots)		
	7.70 (along Bu Shajara & Al Safliya Street)			
Building Coverage (max)	75%			
MAIN BUILDINGS				
Typology	Attached-Podium and Towe	er		
Building Placement	Setbacks as per block plan:			
	Jabr Bin Mohammed Street: • Podium: 0m front;); 0 m on sides, up to 2/3 plot depth (max.15 m) & 3 m for the remaining 1/3 plot depth; • Tower: 0 m front setback; 3m sides; Bu Shajara & Al Safliya Street: • Podium: 0m front;); 0 m on sides, up to 2/3 plot depth (max.15 m) & 3 m for the remaining 1/3 plot depth; • Tower: 3 m front setback; 3m sides;			
Build to Line (a set building line on a plot, measured parallel from the front and/or comer side plot line, where the structure must be located. The building facade must be located on the build-to line)	Jabr Bin Mohammed Street (Collector street): 100% of 0m front setback Al Safliya Street: 90% of 0m front setback Bu Shajara Street (Local street): 60% of 0m front setback (mandatory)			
Building Depth (max)	10 m (single-aspect tower) 15 m (double-aspect tower) 30 m (tower with atrium) 30 m (podium with integrated parking, for plot depth minimum 45 m)			
Building Size	Fine grain; 30 m maximum building width or length; or Create 'a height break impression' (e.g. insert 1-2 storey podium in between, variety fasade design based on modular approach) every interval of 30 m, if the building is stretched too long			
Primary Active Frontage	As indicated in the plan			
Frontage Profile	Jabr Bin Mohammed Street Arcades-connector (covered 2.5 m minimum width			

	G+M maximum heightLocated as per drawing
	Al Safliya Street: Colonnades (a row of colums with minimum 1 meter distance to fasade for terrace, etc
	Bu Shajara Street: Fore-court; cantilever/overhang on the ground floor
Basement; Half-Basement (undercroft)	 Allowed 0 m setbacks 0.5 m maximum height from street level (undercroft)
ANCILLARY BUILDINGS	
Height (max)	G
Setbacks	• Sides: 0 m, up to 2/3 plot depth (max.15m) & 3 m for the remaining 1/3 plot depth;
Building Depth (max)	7.5 m
SITE PLANNING	
Plot Size for Subdivision	Minimum 800 sqm
Small Plot	 Minimum plot size of 800 sqm will allow to reach G+14, with provision of 1 undercroft and 2 basements for car parking. For plot sizes < 800 m2: <p>Allowed to be developed up to the maximum parameters set in the plan, subject to possibility of providing required parking on site </p>
Open Space (min)	5%
ACCESSIBILITY AND CO	NNECTIVITY
Pedestrian Entry Point	As indicated in the plan
Vehicle Access Point	As indicated in the plan
Recommended Public Access on Private Plot	n/a
PARKING	
Location	On-site parking/ undercroft/ basement/ podium parking/ Multi-Storey Car Park (MSCP) for plot size > 2000 sqm
Required Number of	As per general MSDP Car Parking
Spaces	Regulations

- For existing buildings: the setbacks and heights are indicative, for retrofitting /alteration/ modification changes should not exceed the existing massing.
- For existing buildings which are still new and/or in good condition, it is recommended only to add the required front-part of the building (eg. light structure podium) as per indicated set back and build-to-line (which is zero setback) in the plan

FRONTAGE PROFILES Type 1 Podium: G+1 Fore-court & landscape Access to rear or basement parking Fore-court & Straicase

Al Hiikma Street (Local Street)


LANDSCAPE & ACTIVATE CHAMFER-SIDE AT THE INTERSECTION





Provision of green terrace roof garden (min. 50% of the area)

Provision of 'green' on the podium & landscaped forecourt (local streets)



Activate chamfer-sides by provision of openings (windows, doors), entrance for people or landscaped gardens

RECOMMENDED ARCHITECTURE STYLES

Qatari Contemporary*












urce: flickr.com) (S

(illustration)

STANDARDS

ARCHITECTURAL STANDARD				
Architectural Theme/ Style	Qatari Contemporary Style (* Refer the details to the <u>Townscape & Architectural Guidelines for Main Streets in Qatar</u>)			
Exterior expression	Clear building expression of a base, a middle and a top			
	The Base Part (podium): should clearly be expressed (eg. with architrave or corniche ornament, should there is no required setback for tower that can distinguish it from the podium)			
	The Middle Part: Should adopt local rooted architectural language for its elements such as openings, shutters, balconies, bays etc. Should reveal the external expression of each storey			
	The Top Part should be marked by parapet or entablature			
Minimum Building separation	6 m between two buildings with facing non-habitable rooms 8 m between two buildings with a facing non-habitable room and a facing habitable room 12 m between two buildings with facing habitable rooms			
Party-Wall / Common Wall	The attached building's parts should have its own wall and foundation and comply to the standard of construction and fire-safety			
Floor height (maximum)	Slab to slab height (mid-point): Ground floor: 5 m Ground floor with mezzanine: 6.5 m Typical floors (residential and other): 3.50 m Ground floor ancillary building: 3.50 m			
Building Orientation	All the fasade's elements (windows, doors, balcony, bay window, etc) should respect the streets based on their hierarchy. Primary fasade should orientate to the highway /expressway/ collector/ arterial streets.			
Active frontage features	Entrances, <i>madkhal</i> , lobbies, window openings, arcades, porches etc			
Active chamfer at the intersection	The chamfer side should be activated by providing main access for people and designing active frontage/fasade or small landscaped area with public			

	facilities such as benches, public art, small lawn area, etc	
Building Material	Avoid excessive use of glass-wall Use the low environmental impact materials, that conform to ISO 14025, 14040, 14044, and EN 15804 or ISO 21930	
Window-to-Wall Ratios	Refer to the diagrams	
LANDSCAPE STANDARD		
Forecourt	For buildings along the secondary streets, the forecourts should have small green space for landscape	
Barrier/fences	Street side: not allowed Sides and rear: transparent where possible; maximum height 2.5m	
Green Roof	50% area of the podium and the roof- top should be landscaped with dominant soft-scape (trees, plants, urban farming etc)	
ACCESSIBILITY STANDAR	RD	
Pedestrian access	 Main building entrances should be oriented to the side indicated on the plan. Pedestrian Access on the plan indicates the side for main pedestrian access, not the approximate location 	
Vehicle egress and ingress	Main Vehicular Access on the plan indicates the side and approximate location of the access, subject to site planning and transportation constraints.	
SIGNAGE		
Style	Signage should be an integral part of the building fasade without background.	



WINDOW-TO-WALL RATIOS



PARKING FORM & LOCATION OPTION



Underground Parking

Integrated Podium Parking

INCENTIVE

Incentive Scheme

Provision of **Privately Owned Public Space – POPS** such *sikka*, pedestrian walkway, public plaza, pocket garden, and Community Facility: Additional floor area of 5 m2 for every 1 m2 provision, up to maximum 10% of total GFA

Provision of Shared Public Parking:

Additional floor area of 50 m2 for provision of each one (1) shared-car parking space, up to maximum 10% of total GFA

PERMITTED USES TABLE

	Type and category	COM	MUC	MUR	RES	Code	Use
		-			COM	/IERCIAL	
	Convenience	✓	✓	✓	✓		Food, Beverage & Groceries Shop
	Comparison/Speciality	✓	✓	✓	×		General Merchandise Store
	in production g	✓	✓	✓	×		Pharmacy
		✓	✓	✓	×	306	Electrical / Electronics / Computer Shop
RETAIL		✓	✓	✓	×	309	Apparel and Accessories Shop
ET	Food and Beverage	✓	✓	✓	✓		Restaurant
œ	· ·	✓	✓	✓	✓	312	Bakery
		✓	✓	✓	✓	313	Café
	Shopping Malls	✓	✓	×	×	314	Shopping Mall
	E-charging Stations	✓	×	×	×		E-charging Station
兴	Services/Offices	✓	✓	✓	×	401	Personal Services
OFFICE		✓	✓	✓	×	402	Financial Services and Real Estate
P		✓	✓	✓	×	403	Professional Services
		-			RESI	DENTIAL	
	Residential	×	✓	✓	✓		Residential Flats / Apartments
					HOSF	PITALITY	•
	Hospitality accommodation	✓	✓	✓	×		Serviced Apartments
	. ,	✓	✓	✓	×	2202	Hotel / Resort
			SI	COND	ARY / C	COMPLE	MENTARY
	Educational	×	✓	✓	✓		Private Kindergarten / Nurseries / Child Care Centers
		✓	✓	✓	×		Technical Training / Vocational / Language School / Centers
		×	✓	✓	×	1021	Boys Qur'anic School / Madrasa / Markaz
		×	✓	✓	×		Girls Qur'anic School
	Health	✓	✓	✓	×		Primary Health Center
ES		✓	✓	✓	×		Private Medical Clinic
		✓	✓	×	×		Private Hospital/Polyclinic
CI		✓	✓	✓	✓		Ambulance Station
FA		✓	✓	*	×	1106	Medical Laboratory / Diagnostic Center
∐	Governmental	×	✓	×	×		Ministry / Government Agency / Authority
COMMUNITY FACILITIES		×	✓	×	×		Municipality
		✓	✓	✓	×		Post Office
0		✓	✓	✓	✓	1209	Library
0	Cultural	✓	✓	✓	×	1301	Community Center / Services
		✓	✓	✓	×	1302	Welfare / Charity Facility
		✓	✓	×	×	1303	Convention / Exhibition Center
		✓	✓	✓	✓	1304	Art / Cultural Centers
	Religious	✓	✓	✓	×	1406	Islamic / Dawa Center
Т	Open Space & Recreation	✓	✓	✓	✓		Park - Pocket Park
E		✓	✓	×	×	1504	Theatre / Cinema
N		✓	✓	✓	✓		Civic Space - Public Plaza and Public Open Space
IAI		✓	✓	✓	✓		Green ways / Corridors
SPORTS AND ENTERTAINMENT	Sports	×	✓	✓	×	1607	Tennis / Squash Complex
		×	✓	✓	✓	1609	Basketball / Handball / Volleyball Courts
		×	✓	✓	\		Small Football Fields
		×	✓	✓	✓		Jogging / Cycling Track
SA		✓	✓	✓	✓		Youth Centre
SPORT		×	✓	✓	×	1612	Sports Hall / Complex (Indoor)
		✓	✓	✓	✓		Private Fitness Sports (Indoor)
		✓	✓	✓	✓		Swimming Pool
ΞR	Special Use	✓	✓	×	×		Immigration / Passport Office
OTHER		✓	✓	×	×		Customs Office
	Tourism	✓	✓	×	×	2202	Museum

- Supporting uses serves only to the primary use should not be regarded as a separate use. Therefore, their floor area calculation should be included in the GFA of the primary use (e.g. gym facility for residents in an apartment building should be calculated in the Residential GFA, or facilities of a hotel for guests should be calculated in Hospitality GFA).
- Unlisted uses in the table are categorised as non-permitted uses, especially the hazardous/ polluted uses (e.g car repair shops, industries, polluted-workshops, etc).
- Similar uses to the permitted uses in the table will be regarded as conditional cases.