


USE REGULATIONS



GENER/	AL USE MIX				
	Zoning Category	Commercial	Mixed Use Commercial	Mixed Use Residential	Residential
Zoning Code		СОМ	MUC	MUR	RES
Minimun	n required number of use type*	1	2	2	1
	Commercial:	7	**	✓	*
Use Type	Residential (Flats, Apartments)	*	✓	*	7
per Zoning Category	Hospitality (Hotels, Serviced Apartments)	✓	✓	✓	✓
	Secondary/Complementary Uses (Community Facilities, Sport & Entertainment)	✓	✓	✓	✓
See details	of Permitted Uses Table in page 4				•


DETAILED USE SPLIT				
		GFA	Allowed Floor Location	
MUC: Mixed Use Commercial	Uses Mix	Plot < 2000 sqm or for Single Tower/ Higher Building		
Commercial**:		Total Com. 25% min	Total Com. 25% min	All
Retail Office	$\overline{\mathbf{Z}}$	Retail 25% max	Retail 25% max	Retail at ground level; podium; 1st floor above podium; top floor level
Residential (Flats, Apartments)	✓	80% max	80% max	All
Hospitality (Hotels, Serviced Apartments)	✓		40% max	All Semi-public /publicly accessible facilities (e.g. commercial space) at ground level; podium; 1st floor above podium; top floor level
	✓	20%	max	Podium; 1st floor above podium; top level

Uses mix: ✓ Required; ✓ Allowed; ➤ Not allowed;

* In Mixed Use Residential, the required Residential Use Type can be substituted with Hospitality Use Type (e.g. hotel, serviced apartment);

** In Mixed Use Commercial, mixing between Commercial Uses only (Retail & Office) is allowed and this already fulfils the requirement 2 mix


SPECIFIC USE REGULATIONS				
Permitted uses	See Permitted Uses Table (page 4)			
Recommended Uses	Type of commercial in MUC: Establishments and offices with goods or services that cater city-wide (ie. main offices) and complementary to the cultural facilities in the Downtown area			
Not permitted uses	All other uses not listed in the General Permitted Uses Table (e.g. garage/car repair/heavy industry etc)			
Active Frontage Uses	Percentage: For marked-sides as Active Frontages, min. 60% frontage required as Active Uses			
	Retail, Shops, Food and Beverage (F&B), Offices, Services, Hotels, Government Offices, Clinics, Community Centres, Libraries, etc			



BUILDING ENVELOPE & MASSING ILLUSTRATION



BUILDING TYPOLOGY: ATTACHED-PODIUM AND TOWER



Al Safliya Park Street (Local Street - Primary Pedestrian Link)


BLOCK FORM REGULATIONS

Uses (as per Zoning Plan)	MUC: Mixed Use Commerci	MUC: Mixed Use Commercial			
Height (max)	Al Safliya & Al Marta & Inaija Street	55.7m (max)			
	• G+14 (Podium G+1)				
FAR (max) (for large plots > 2000 sqm or ≥ 10,000 sqm, refer to the Block Massing Plan and Site Planning)	7.85				
FAR (max) (in the case of future possible subdivision)	7.70	(+ 5 % for corner lots)			
Building Coverage (max)	75%				
MAIN BUILDINGS		•			
Typology	Attached-Podium and To	wer			
Building Placement	Al Safliya Street: Podium: 0 m front; 0 m on sides, up to 2/3 plot depth (max.15 m) & 3 m for the remaining 1/3 plot depth; 3 m rear Tower: 5 m front setback; 3m sides; 3m rear				
	Al Marta & 816 Street: • Podium: 0 m front; 0 m on sides, up to 2/3 plot depth (max.15 m) & 3 m for the remaining 1/3 plot depth; 3 m rear • Tower: 3m front setback; 3m sides; 3m rear				
Build to Line (a set building line on a plot, measured parallel from the front and/or corner side plot line, where the structure must be located. The building facade must be located on the build-to line)	Al Safliya Street: 90% of 0m front setback Al Marta & 816 Street (Local street): 60% of 0m front setback (mandatory)				
Building Depth (max)	10 m (single-aspect tower) 15 m (double-aspect tower) 30 m (tower with atrium) 30 m (podium with integrated parking, for plot depth minimum 45 m)				
Building Size	Fine grain; 30 m maximum building length; or Create 'a height break i (e.g. insert 1-2 storey probetween, variety fasade on modular approach) e of 30 m, if the building is	mpression' odium in design based every interval			
	long				

Frontage Profile	Al Safliya Street: Colonnades (a row of colums with minimum 1 meter distance to fasade for terrace, etc Al Marta & 816 Street: Fore-court; cantilever/overhang on the ground floor		
Basement; Half- Basement (undercroft)	Allowed 0 m setbacks 0.5 m maximum height from street level (undercroft)		
ANCILLARY BUILDINGS			
Height (max)	G		
Setbacks	• Sides: 0 m, up to 2/3 plot depth (max.15 m) & 3 m for the remaining 1/3 plot depth;		
Building Depth (max)	7. 5m		
SITE PLANNING			
Plot Size for Subdivision	Minimum 800 sqm		
Small Plot	Minimum plot size of 800 sqm will allow to reach G+14, with provision of 1 undercroft and 2 basements for car parking. For plot sizes < 800 m2: Allowed to be developed up to the maximum parameters set in the plan, subject to possibility of providing required parking on site		
Plots 2000sqm – 9999sqm	 FAR: as stated in the Block Massing Plan Building Coverage: 75% Internal open space: 10% min Internal streets & utilities: 15% max 		
ACCESSIBILITY AND CO	NNECTIVITY		
Pedestrian Entry Point	As indicated in the plan		
Vehicle Access Point	As indicated in the plan		
Recommended Public Access on Private Plot	n/a		
PARKING			
Location	On-site parking/ undercroft/ basement/ podium parking/ Multi-Storey Car Park (MSCP) for plot size > 2000 sqm		
Required Number of Spaces	As per general MSDP Car Parking Regulations		
Parking Waiver	30% reduction in parking provision requirement d follow the regulations.		

- All new development should follow the regulations.
- For existing buildings: the setbacks and heights are indicative; for retrofitting /alteration/ modification changes should not exceed the existing massing.
- For existing buildings which are still new and/or in good condition, it is recommended only to add the required front-part of the building (eg. light structure podium) as per indicated set back and build-to-line (which is zero setback) in the plan

FRONTAGE PROFILES



Al Marta & 816 Street : Local Street Type 1 (Fore-court & landscape) or Local Street Type 2 (Fore-court & Staircase, if there is half-basement)


LANDSCAPE & ACTIVATE CHAMFER-SIDE AT THE INTERSECTION





Provision of green terrace root garden (min. 50% of the area)

Provision of 'green' on the podium & landscaped forecourt (local streets)



Activate chamfer-sides by provision of openings (windows, doors), entrance for people or landscaped gardens

RECOMMENDED ARCHITECTURAL STYLES

Qatari Contemporary*














: flickr.com) (Source: frasershosp

(illustration)

STANDARDS

ARCHITECTURAL STANDARD				
Architectural Theme/ Style	Qatari Contemporary Style (* Refer the details to the Townscape & Architectural Guidelines for Main Streets in Qatar)			
Exterior expression	Clear building expression of a base, a middle and a top			
	The Base Part (podium): should clearly be expressed (eg. with architrave or corniche ornament, should there is no required setback for tower that can distinguish it from the podium)			
	The Middle Part: Should adopt local rooted architectural language for its elements such as openings, shutters, balconies, bays etc. Should reveal the external expression of each storey			
	The Top Part should be marked by parapet or entablature			
Minimum Building separation	 6 m between two buildings with facing non-habitable rooms 8 m between two buildings with a facing non-habitable room and a facing habitable room 12 m between two buildings with facing habitable rooms 			
Party-Wall / Common Wall	The attached building's parts should have its own wall and foundation and comply to the standard of construction and fire-safety			
Floor height (maximum)	Slab to slab height (mid-point): Ground floor: 5 m Ground floor with mezzanine: 6.5 m Typical floors (residential and other): 3.50 m Ground floor ancillary building: 3.50 m			
Building Orientation	All the fasade's elements (windows, doors, balcony, bay window, etc) should respect the streets based on their hierarchy. Primary fasade should orientate to the highway /expressway/ collector/ arterial streets.			
Active frontage features	Entrances, <i>madkhal</i> , lobbies, window openings, arcades, porches etc			
Active chamfer at the intersection	The chamfer side should be activated by providing main access for people and designing active frontage/fasade or small landscaped area with public			

	facilities such as benches, public art,	
	small lawn area, etc	
Building Material	Avoid excessive use of glass-wall Use the low environmental impact materials, that conform to ISO 14025, 14040, 14044, and EN 15804 or ISO 21930	
Window-to-Wall Ratios	Refer to the diagrams	
LANDSCAPE STANDARD		
Forecourt	For buildings along the secondary streets, the forecourts should have small green space for landscape	
Barrier/fences	Street side: not allowed Sides and rear: transparent where possible; maximum height 2.5 m	
Green Roof	50% area of the podium and the roof- top should be landscaped with dominant soft-scape (trees, plants, urban farming etc)	
ACCESSIBILITY STANDAR	RD	
Pedestrian access	 Main building entrances should be oriented to the side indicated on the plan. Pedestrian Access on the plan indicates the side for main pedestrian access, not the approximate location 	
Vehicle egress and ingress	Main Vehicular Access on the plan indicates the side and approximate location of the access, subject to site planning and transportation constraints.	
SIGNAGE		
Style	Signage should be an integral part of the building fasade without background.	



WINDOW-TO-WALL RATIOS



PARKING FORM & LOCATION OPTION



INCENTIVE

Incentive Scheme

Provision of **Privately Owned Public Space – POPS** such *sikka*, pedestrian walkway, public plaza, pocket garden, and Community Facility: Additional floor area of 5 m2 for every 1 m2 provision, up to maximum 10% of total GFA

Provision of Shared Public Parking:

Additional floor area of 50 m2 for provision of each one (1) shared-car parking space, up to maximum 10% of total GFA

PERMITTED USES TABLE

	Type and category	COM	MUC	MUR	RES	Code	Use
		•		•	COM	/IERCIAL	
	Convenience	✓	✓	√	√		Food, Beverage & Groceries Shop
	Comparison/Speciality	√	√	√	×		General Merchandise Store
	Companioon, openion,	√	√	√	×		Pharmacy
		√	√	√	×		Electrical / Electronics / Computer Shop
Ħ		√	√	√	×		Apparel and Accessories Shop
ZE AIL	Food and Beverage	✓	✓	√	✓		Restaurant
Y		√	√	√	√		Bakery
		✓	✓	√	✓		Café
	Shopping Malls	✓	✓	×	×		Shopping Mall
	E-charging Stations	✓	×	×	×		E-charging Station
ш	Services/Offices	√	√	√	×	401	Personal Services
<u>۔</u>		√	√	√	×		Financial Services and Real Estate
		√	✓	√	×		Professional Services
_		<u>L</u>		<u> </u>	PESII	DENTIAL	Troiseachtaí Carrioca
	Residential	×	√	√	✓		Residential Flats / Apartments
	Residential					PITALITY	
	Hospitality accommodation		√	√	×		Serviced Apartments
	Hospitality accommodation	✓	<i></i>	<i></i>	×	2201	
							MENTARY
	Educational	*	√	√	✓		Private Kindergarten / Nurseries / Child Care Centers
		✓	✓	✓	×	1020	Technical Training / Vocational / Language School / Centers
		*	✓	✓	×		Boys Qur'anic School / Madrasa / Markaz
		×	✓	✓	×		Girls Qur'anic School
n	Health	✓	✓	✓	×		Primary Health Center
≝		✓	✓	✓	×		Private Medical Clinic
Į		√	√	×	×		Private Hospital/Polyclinic
A S		√	√	✓	✓		Ambulance Station
<u>∟</u>		✓	√	×	×		Medical Laboratory / Diagnostic Center
Ţ	Governmental	×	√	×	×		Ministry / Government Agency / Authority
COMMUNITY FACILITIES		×	√	×	×		Municipality
		✓	✓	√	×		Post Office
3	0.11	√	√	√	✓		Library
	Cultural	√	√	√	×		Community Center / Services
		√	✓	✓	*		Welfare / Charity Facility
		√	√	×	×		Convention / Exhibition Center
	B !! !	√	√	√	√		Art / Cultural Centers
	Religious	√	√	√	×	1406	Islamic / Dawa Center
SPORTS AND ENTERTAINMENT	Open Space & Recreation	√	√	√	√	4504	Park - Pocket Park
		✓ ✓	√	*	×	1504	Theatre / Cinema
		✓	✓	✓			Civic Space - Public Plaza and Public Open Space
	Occupa		✓ ✓	✓ ✓	√	4007	Green ways / Corridors
	Sports	*			*		Tennis / Squash Complex
		*	✓ ✓	✓ ✓	✓ ✓	1609	Basketball / Handball / Volleyball Courts
		*				4040	Small Football Fields
		× ✓	√	√	√		Jogging / Cycling Track
			√	√	√		Youth Centre
2		*	√	√	×	1612	Sports Hall / Complex (Indoor)
SPC		√	√	√	√	4040	Private Fitness Sports (Indoor)
		✓ ✓	✓ ✓	✓	✓		Swimming Pool Immigration / Passport Office
			/	×	×	. 2107	I Immigration / Decenart (Ittica
OIHEK	Special Use	✓	√	×	×		Customs Office

- Supporting uses serves only to the primary use should not be regarded as a separate use. Therefore, their floor area calculation should be included in the GFA of the primary use (e.g. gym facility for residents in an apartment building should be calculated in the Residential GFA, or facilities of a hotel for guests should be calculated in Hospitality GFA).
- Unlisted uses in the table are categorised as non-permitted uses, especially the hazardous/ polluted uses (e.g car repair shops, industries, polluted-workshops, etc).
- Similar uses to the permitted uses in the table will be regarded as conditional cases.