ZONING PLAN Policy plan plot **Block 6-06** Ali Bin Abdulla Cadastral plot REGENERATION **ZONE** within Active MUC Mixed Use Commercial MUR Mixed Use Residential **Conservation Area** RES Residential OSR Open Space and Recreation Sports Zone TU Transportation and Utilities TC Transit Commercial OSR Listed Building Tourism Zone Heritage Overlay RAS ABU ABBOUD

USE REGULATIONS	
SE REGULATIONS A Ashort G+4 Fide G+4 Fide G+4 G+4	LEGEND: Policy plan plot Cadastral plot Muc Mixed Use Commercial Build to line Setback for main building Setback for main building upper floors Active frontage Pedestrian access Main vehicular entrance Pedestrian connection Existing building Arcade Main Building (Illustration) Podium Note: If there is discrepancy,use Policy Plan plot (not cadastral plot)

GENERAL USE MIX					
Zoning Category		Commercial	Mixed Use Commercial	Mixed Use Residential	Residential
	Zoning Code	СОМ	MUC	MUR	RES
Minimun	required number of use type*	1	2	2	1
	Commercial:	7	**	✓	*
Use Type	Residential (Flats, Apartments)	*	✓	*	V
Zoning Category	Hospitality (Hotels, Serviced Apartments)	✓	✓	✓	✓
	Secondary/Complementary Uses (Community Facilities, Sport & Entertainment)	✓	✓	✓	✓
See details	of Permitted Uses Table in page 4		,		

DETAILED USE SPLIT					
		GFA			
MUC: Mixed Use Commercial	Uses Mix	Plot < 2000 sqm or for Single Tower/ Higher Building	Plot ≥ 2000 sqm or for Multiple Tower/ Higher Buildings	Allowed Floor Location	
Commercial**:	Ø	Total Com. 20% min	Total Com. 20% min	All	
Retail Office		Retail 40% max	Retail 40% max	Retail at ground level; podium; 1st floor above podium; top floor level	
Residential (Flats, Apartments)	✓	75% max	70% max	All	
Hospitality (Hotels, Serviced Apartments)	√		40% max	All Semi-public /publicly accessible facilities (e.g. commercial space) at ground level; podium; 1st floor above podium; top floor level	
Secondary/Complementary Uses	✓	20% max Podium; 1st floor above podium; top level			

Uses mix: ☑ Required; ✓ Allowed; ストップ Not allowed;

* In Mixed Use Residential, the required Residential Use Type can be substituted with Hospitality Use Type (e.g. hotel, serviced apartment);

** In Mixed Use Commercial, mixing between Commercial Uses only (Retail & Office) is allowed and this already fulfils the requirement 2 mix

invinced ose Confinercial, mixing between Confinercial oses only (Netall & Onice) is allowed and this already fulfills the requirement 2 mix			
SPECIFIC USE REGULATIONS			
Permitted uses	See Permitted Uses Table (page 4)		
Recommended Uses	Type of commercial in MUC: Establishments and offices with goods or services that cater city-wide (ie. main offices) and complementary to the cultural facilities in the Downtown area		
Not permitted uses	All other uses not listed in the General Permitted Uses Table (e.g. garage/car repair/heavy industry etc)		
Active Frontage Uses	Percentage: For marked-sides as Active Frontages, min. 60% frontage required as Active Uses		
	Retail, Shops, Food and Beverage (F&B), Offices, Services, Hotels, Government Offices, Clinics, Community Centres, Libraries, etc		


BLOCK MASSING PLAN, BUILDING ENVELOPE & ILLUSTRATION




Regeneration Zone:

Area that can perform full regeneration and redevelopment (clearing, reconstruction, new arrangement, modernization) to channel economic growth and to accommodate broad uses and typology, but still preserves and retains the historic urban morphology (block and street pattern).

BLOCK MASSING PLAN, BUILDING ENVELOPE & ILLUSTRATION



BUILDING TYPOLOGY: VERNACULAR COURTYARD



- Retain original character of traditional courtyard houses.
 Allow intensification from the original courtyard houses:
- Allow intensification from the original courtyard houses max.additional 3 storey (G+4= 5 storey) for minimum plot size of 300 sqm

Interventions for Regeneration Zone:

- 1. For existing old buildings (e.i. traditional vernacular) that still intact and buildings with architectural significance:
 - Retain and upgrade the original and significant characteristics as much as possible (morphology, scale, urban grain, courtyard typology, building foot print, architecture style, etc):
 - o Enhance the original Qatari Vernacular or Early Modern (Doha Art Deco) Style
 - Allow partial redevelopment and intensification from the original courtyard houses: max.additional 3 storey (G+4= 5 storey) for minimum plot size of 300 sqm
- 2. For existing early modern buildings with no architectural significance:
 - Allow for full-fledge reconstruction/redevelopment up to maximum height, but maintain the courtyard typology (if any) or design a courtyard typology;
 - o Recreate from the original building's foot-print, as much as possible
- Enhance the original style (whether Qatari Vernacular or Early Modern Style (Doha Art Deco)
- 3. For new development on vacant land:
 - Design a courtyard typology building
 - o Design bulk massing as per regulations
 - o Adopt Qatari Vernacular or Early Modern (Doha Art Deco) Style
- 4. Adaptive re-use


BLOCK FORM REGULATIONS

BULK REGULATIONS					
Uses (as per Zoning Plan)	MUC: Mixed Use Commercial				
Height (max)	G+4 20.7 m (max)				
FAR (max)	4.0 (+ 5 %				
Building Coverage (max)	85%	corner lots)			
MAIN BUILDINGS					
Typology	Vernacular Courtyard				
Building Placement	Setbacks as per block plar	1:			
	0m front; 0m sides; 0m	rear			
Build to Line (a set building line on a plot, measured parallel from the front and/or corner side plot line, where the structure must be located. The building facade must be located on the build-to line)	100% of 0 m front setback (mandatory)				
Building Depth (max)	10 m (single-aspect buildir 15 m (double-aspect buildi				
Building Size	Fine grain; 15 m maximum building width or length; or Create a modular external expression of fasade, with maximum 15 m wide, if the building is stretched long				
Primary Active Frontage	As indicated in the plan				
Frontage Profile	Recess Ground Floor (min 1 m)				
Basement; Half- Basement (undercroft)	Not recommended, unless where there is necessity and possible to construct				
ANCILLARY BUILDINGS					
Height (max)	G				
Setbacks	0 m front 0 m side 0 m rear				
Building Depth (max)	7.5 m				
SITE PLANNING					
Plot Size for Subdivision	Minimum 300 sqm				
Small Plot	Minimum plot size of 30 allow to reach G+4 For plot sizes < 300 m2 Allowed to be develope maximum parameters s	: d up to the			

	plan, subject to possibility of providing required parking on site
Open Space (min)	5%
ACCESSIBILITY AND CO	ONNECTIVITY
Pedestrian Entry Point	As indicated in the plan
Vehicle Access Point	As indicated in the plan
Recommended Public Access on Private Plot	As indicated in the plan
PARKING	
Location	Designated main parking facility to cater this block should be in the form of communal public parking, located outside the Conservation Area or under the designated new park/open space Courtyard, where possible On street parking for short term parking
Required Number of Spaces	n/a
Parking Waiver	30% reduction in parking provision requirement; Relaxation for plots ≤ 350 sqm, provided all safety measures are fulfilled as per Qatar Parking Design Manual-QPDM (refer to page 4 for details): 1)Allowable stall parking dimension of 2.5m x 5.5 m 2)Allowable single driveway (not ramp) provision of 3.5m width to the rear on-site parking

- All new development should follow the regulations.
- For existing buildings: the setbacks and heights are indicative, for retrofitting /alteration/ modification changes should not exceed the existing massing.
- For existing buildings which are still new and/or in good condition, it is recommended only to add the required frontpart of the building (eg. light structure podium) as per indicated set back and build-to-line (which is zero setback) in the plan


LANDSCAPE & ACTIVATE CHAMFER-SIDE AT THE INTERSECTION





Provision of 'green' on the landscaped court-yard (ie.central/sides/rear court-yard)


Provision of green terrace roof garden (min. 50% of the area)




Activate chamfer-sides by provision of openings (windows, doors), entrance for people or landscaped gardens


RECOMMENDED ARCHITECTURAL STYLE

Qatari Vernacular*






Early Modern (Doha - Art Deco)*





WINDOW-TO-WALL RATIOS










STANDARDS


ARCHITECTURAL STANDARD				
Architectural Theme/ Style	Qatari Vernacular Style, or Early Modern (Doha Art Deco)			
	(* Refer the details to the <u>Townscape</u> & Architectural <u>Guidelines for Main</u> <u>Streets in Qatar</u>)			
Exterior expression	Clear building expression of a base, a middle and a top			
	The Base Part (Ground Floor): should clearly be expressed (eg. with architrave or corniche ornament)			
	The Middle Part: Should adopt local rooted architectural language for its elements such as openings, shutters, balconies, bays etc. Should reveal the external expression of each storey			
	The Top Part should be marked by parapet or entablature			
Minimum Building separation	6 m between two buildings with facing non-habitable rooms 8 m between two buildings with a facing non-habitable room and a facing habitable room 12 m between two buildings with facing habitable rooms			
Party-Wall / Common Wall	The attached building's parts should have its own wall and foundation and comply to the standard of construction and fire-safety			
Floor height (maximum)	Slab to slab height (mid-point): Ground floor: 5 m Ground floor with mezzanine: 6.5 m Typical floors (residential and other): 3.50 m Ground floor ancillary building: 3.50m			
Building Orientation	All the fasade's elements (windows, doors, balcony, bay window, etc) should respect the streets based on their hierarchy. Primary fasade should orientate to the highway /expressway/ collector/ arterial streets.			
Active frontage features	Entrances, <i>madkhal</i> , lobbies, window openings, arcades, porches etc			
Active chamfer at the intersection	The chamfer side should be activated by providing main access for people and designing active frontage/fasade or small landscaped area with public			


	facilities such as benches, public art, small lawn area, etc			
Building Material	 Avoid excessive use of glass-wall Use the low environmental impact materials, that conform to ISO 14025, 14040, 14044, and EN 15804 or ISO 21930 			
Window-to-Wall Ratios	Refer to the diagrams			
LANDSCAPE STANDARD				
Forecourt	For buildings along the secondary streets, the forecourts should have small green space for landscape			
Barrier/fences	Street side: not allowed Sides and rear: transparent where possible; maximum height 2.5 m			
Green Roof	50% area of the podium and the roof-top should be landscaped with dominant soft-scape (trees, plants, urban farming etc)			
ACCESSIBILITY STANDAR	RD.			
Pedestrian access	 Main building entrances should be oriented to the side indicated on the plan. Pedestrian Access on the plan indicates the side for main pedestrian access, not the approximate location 			
Vehicle egress and ingress	 Main Vehicular Access on the plan indicates the side and approximate location of the access, subject to site planning and transportation constraints. 			
SIGNAGE				
Style	Signage should be an integral part of the building fasade without background.			



PARKING FORM & LOCATION OPTION








Parking at rear on small plots ≤ 350 sqm (illustration)

Conditional Requirements for Relaxation on Plots ≤ 350 sqm:

- (a) The Owner/Developer to conduct a Parking Safety Audit as per QPDM and implement safety measures as suggested by the Safety Auditor;
- (b) Provide exclusive signage and pavement marking cautioning the motorists and facility users (as per QPDM);
- (c) Guidance on parking operations, accessible parking, pedestrian sidewalk to be adopted as per QPDM.
- (d) The parking facility to be managed by trained security personnel/traffic marshal, where possible;
- (e) Preferable use mechanical, automated, robotic parking systems, where possible;
- (f) Use of Intelligent Transportation System technologies such as Variable Message Signage, etc, where possible.



INCENTIVE

Incentive Scheme

Provision of **Privately Owned Public Space – POPS** such *sikka*, pedestrian walkway, public plaza, pocket garden, and Community Facility: Additional floor area of 5 m2 for every 1 m2 provision, up to maximum 10% of total GFA

Provision of Shared Public Parking:

Additional floor area of 50 m2 for provision of each one (1) shared-car parking space, up to maximum 10% of total GFA

PERMITTED USES TABLE

	Type and category	COM	MUC	MUR	RES	Code	Use
						/IERCIAL	
Convenience ✓ ✓ ✓ 301 Food, Beverage & Groceries Shop							
	Comparison/Speciality	√	√	√	×		General Merchandise Store
	Companies a speciality	√	√	√	×		Pharmacy
		√	✓	✓	×		Electrical / Electronics / Computer Shop
RETAIL		√	√	√	×		Apparel and Accessories Shop
ET,	Food and Beverage	√	✓	√	✓		Restaurant
8		√	✓	√	✓		Bakery
		√	√	√	✓		Café
	Shopping Malls	✓	✓	×	×		Shopping Mall
	E-charging Stations	✓	×	×	×		E-charging Station
Щ	Services/Offices	✓	✓	✓	×		Personal Services
OFFICE		✓	✓	✓	×		Financial Services and Real Estate
OF		✓	✓	✓	×		Professional Services
		<u> </u>		-	RESI	DENTIAL	
	Residential	×	√	✓	√		Residential Flats / Apartments
	Trootwort tu	l				PITALITY	reolatina Flato / Paramento
	Hospitality accommodation	√	√	√	×		Serviced Apartments
	Trospitanty accommodation	· /	· /	· /	×		Hotel / Resort
	<u> </u>		CI	COND			MENTARY
	Educational		√	✓	AKI/U		
	Educational	×	∨	∨		1003	Private Kindergarten / Nurseries / Child Care Centers Technical Training / Vocational / Language School / Centers
		-	∨	∨	*		Boys Qur'anic School / Madrasa / Markaz
		×	∨	∨	×		
	11 141-	×	∨	∨	*		Girls Qur'anic School
S	Health	✓	∨	∨	×		Primary Health Center
Ħ		∨	∨	-	*		Private Medical Clinic
\exists		✓	∨	×	×		Private Hospital/Polyclinic Ambulance Station
COMMUNITY FACILITIES		∨	∨	*	×		
7	Covernmental	×	∨	×	×		Medical Laboratory / Diagnostic Center Ministry / Government Agency / Authority
E	Governmental	×	✓	×	×	1201	Municipality
MU		~	√	~	×		Post Office
M		V	✓	√	~		Library
\mathcal{S}	Cultural	▼	√	√	×		Community Center / Services
	Cultural	V ✓	✓	√	×		Welfare / Charity Facility
		V	✓	*	×		Convention / Exhibition Center
		· /	✓	~	<i>~</i>		Art / Cultural Centers
	Religious	▼	✓	✓	×		Islamic / Dawa Center
	Open Space & Recreation	▼	✓	√	~	1400	Park - Pocket Park
N	Open Space & Recreation	V ✓	✓	*	×	1504	Theatre / Cinema
ME		V ✓	✓	~	~ ✓	1304	Civic Space - Public Plaza and Public Open Space
N		<u> </u>	✓	√	√		Green ways / Corridors
ZT/	Sports	×	✓	→	*	1607	Tennis / Squash Complex
岜	Sports	×	✓	√	~		Basketball / Handball / Volleyball Courts
EN.		×	✓	→	✓	1009	Small Football Fields
ID		×	∨	√	∨	1610	Jogging / Cycling Track
AN		~	∨	√	∨		Youth Centre
TS		*	✓	✓	*		Sports Hall / Complex (Indoor)
SPORTS AND ENTERTAINMENT		~	√	✓	^		Private Fitness Sports (Indoor)
SP		V	✓	✓	√		Swimming Pool
	Special Use	√	√	*	*		Immigration / Passport Office
单	opecial ose	V	✓	×	×		Customs Office
OTHER	Tourism	✓	✓	×	×		Museum
			·				pair floor area calculation should be included in the GEA of the primary use (e.g. gym

- Supporting uses serves only to the primary use should not be regarded as a separate use. Therefore, their floor area calculation should be included in the GFA of the primary use (e.g. gym facility for residents in an apartment building should be calculated in the Residential GFA, or facilities of a hotel for guests should be calculated in Hospitality GFA).
- Unlisted uses in the table are categorised as non-permitted uses, especially the hazardous/ polluted uses (e.g car repair shops, industries, polluted-workshops, etc).
- Similar uses to the permitted uses in the table will be regarded as conditional cases.